

Texas School Survey of Drug and Alcohol Use: 2014

State Report Grades 8-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	9.7%	13.7%	25.1%	75.0%
Grade 8	5.1%	7.5%	15.0%	85.0%
Grade 9	6.7%	10.1%	21.0%	79.0%
Grade 10	9.6%	13.9%	25.8%	74.2%
Grade 11	13.1%	18.2%	32.1%	67.8%
Grade 12	15.8%	20.9%	34.0%	66.0%
Cigarettes?				
All	7.6%	11.2%	22.3%	77.7%
Grade 8	4.0%	6.2%	13.5%	86.5%
Grade 9	4.9%	7.9%	18.6%	81.3%
Grade 10	7.1%	11.1%	22.9%	77.1%
Grade 11	10.6%	15.2%	28.6%	71.3%
Grade 12	13.0%	17.5%	30.3%	69.7%
Smokeless Tobacco?				
All	4.3%	6.2%	10.3%	89.7%
Grade 8	2.0%	3.1%	5.6%	94.4%
Grade 9	3.1%	4.5%	8.3%	91.7%
Grade 10	4.5%	6.4%	10.6%	89.4%
Grade 11	5.4%	8.0%	13.2%	86.9%
Grade 12	7.4%	10.0%	15.1%	84.8%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	81.2%	2.1%	1.8%	2.4%	3.6%	3.2%	5.7%
Grade 8	90.1%	0.3%	0.7%	1.2%	1.8%	2.4%	3.4%
Grade 9	85.7%	1.1%	0.9%	2.0%	2.6%	2.3%	5.4%
Grade 10	80.9%	1.9%	1.7%	2.3%	3.4%	4.0%	5.9%
Grade 11	75.4%	2.6%	2.7%	3.6%	5.4%	3.8%	6.6%
Grade 12	71.1%	5.6%	3.4%	3.5%	5.1%	3.7%	7.6%

Table T-3: Average age of first use of tobacco:

	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	11.5	12.3	13.2	14.0	14.8

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.5%	17.7%	7.4%	10.6%	16.0%	25.9%
Grade 8	27.9%	28.0%	11.4%	10.4%	11.7%	10.6%
Grade 9	24.9%	21.4%	8.1%	12.2%	14.9%	18.4%
Grade 10	20.5%	16.5%	6.5%	12.4%	20.0%	24.0%
Grade 11	18.9%	11.8%	6.4%	10.4%	18.9%	33.6%
Grade 12	18.8%	7.9%	3.8%	6.7%	14.5%	48.3%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	59.4%	23.2%	10.8%	5.5%	1.1%
Grade 8	77.3%	15.2%	5.0%	2.1%	0.4%
Grade 9	64.3%	21.5%	9.3%	4.1%	0.8%
Grade 10	56.6%	25.7%	11.6%	5.3%	0.8%
Grade 11	49.6%	28.1%	13.4%	7.4%	1.5%
Grade 12	44.8%	27.1%	16.2%	9.5%	2.4%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	76.2%	8.1%	6.7%	1.2%	0.8%	6.9%
Grade 8	83.5%	4.4%	3.4%	0.6%	0.4%	7.7%
Grade 9	80.1%	6.2%	5.0%	0.8%	1.2%	6.6%
Grade 10	78.0%	8.2%	6.4%	1.2%	0.4%	5.9%
Grade 11	72.2%	10.2%	8.4%	1.9%	0.7%	6.6%
Grade 12	64.2%	12.7%	11.9%	1.9%	1.5%	7.8%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	58.3%	24.8%	9.2%	2.5%	5.1%
Grade 8	67.3%	21.3%	5.4%	1.2%	4.8%
Grade 9	63.6%	22.4%	7.2%	2.0%	4.9%
Grade 10	55.7%	26.6%	10.1%	2.7%	4.9%
Grade 11	52.0%	27.8%	11.7%	2.6%	5.9%
Grade 12	50.3%	27.1%	12.6%	4.6%	5.4%

Alcohol

Table A-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	23.7%	33.6%	54.8%	45.2%
Grade 8	13.2%	19.8%	40.4%	59.7%
Grade 9	19.9%	28.2%	50.2%	49.8%
Grade 10	25.5%	36.3%	58.4%	41.5%
Grade 11	30.1%	41.7%	64.1%	36.0%
Grade 12	32.7%	45.8%	64.3%	35.7%
Beer?				
All	15.6%	23.5%	42.1%	57.9%
Grade 8	7.7%	12.2%	29.3%	70.7%
Grade 9	11.9%	18.5%	37.6%	62.4%
Grade 10	15.9%	24.8%	45.1%	54.9%
Grade 11	21.1%	31.0%	50.5%	49.5%
Grade 12	23.7%	34.4%	51.4%	48.6%
Wine Coolers?				
All	13.8%	21.1%	35.7%	64.3%
Grade 8	6.2%	10.4%	21.0%	79.0%
Grade 9	11.0%	16.9%	30.9%	69.1%
Grade 10	15.4%	23.4%	39.6%	60.5%
Grade 11	18.7%	27.6%	44.8%	55.2%
Grade 12	19.3%	29.8%	45.5%	54.5%
Wine?				
All	10.0%	16.6%	34.5%	65.5%
Grade 8	4.9%	8.8%	23.1%	76.9%
Grade 9	8.9%	14.6%	32.0%	68.0%
Grade 10	10.9%	18.2%	37.0%	62.9%
Grade 11	12.7%	20.4%	40.0%	60.0%
Grade 12	13.9%	23.0%	42.9%	57.1%
Liquor?				
All	15.7%	24.0%	39.8%	60.3%
Grade 8	6.8%	11.1%	22.0%	78.0%
Grade 9	12.3%	19.2%	33.5%	66.5%
Grade 10	16.6%	25.6%	43.7%	56.2%
Grade 11	21.3%	31.5%	50.6%	49.4%
Grade 12	23.9%	35.9%	53.3%	46.7%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	53.7%	0.3%	2.4%	8.5%	13.3%	12.3%	9.3%
Grade 8	70.7%	0.2%	1.4%	3.6%	6.6%	9.1%	8.3%
Grade 9	60.1%	0.4%	1.8%	6.5%	11.1%	11.1%	9.0%
Grade 10	49.6%	0.3%	2.1%	9.2%	15.1%	13.4%	10.4%
Grade 11	43.2%	0.3%	3.5%	11.5%	16.9%	14.2%	10.3%
Grade 12	40.9%	0.5%	3.6%	13.3%	18.6%	14.4%	8.7%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	58.0%	42.0%	10.1%	20.4%	11.5%
	Grade 8	69.4%	30.7%	3.4%	14.6%	12.7%
	Grade 9	63.1%	37.1%	6.9%	18.2%	12.0%
	Grade 10	55.2%	44.8%	10.8%	22.2%	11.8%
	Grade 11	50.2%	49.8%	14.4%	24.9%	10.5%
	Grade 12	49.2%	50.8%	16.9%	24.0%	9.9%
Wine Coolers	All	63.0%	37.1%	7.8%	21.7%	7.6%
	Grade 8	77.3%	22.5%	2.6%	12.2%	7.7%
	Grade 9	67.7%	32.3%	5.8%	18.4%	8.1%
	Grade 10	59.0%	41.1%	8.5%	24.7%	7.9%
	Grade 11	54.4%	45.7%	11.0%	27.4%	7.3%
	Grade 12	53.2%	46.8%	12.1%	27.8%	6.9%
Wine	All	65.6%	34.5%	2.9%	18.3%	13.3%
	Grade 8	75.4%	24.6%	1.5%	11.1%	12.0%
	Grade 9	68.9%	31.0%	2.3%	16.0%	12.7%
	Grade 10	62.1%	37.9%	3.6%	20.7%	13.6%
	Grade 11	60.2%	39.9%	3.5%	22.3%	14.1%
	Grade 12	59.0%	40.9%	3.5%	22.8%	14.6%
Liquor	All	59.7%	40.3%	10.1%	21.2%	9.0%
	Grade 8	77.4%	22.7%	3.6%	11.0%	8.1%
	Grade 9	66.4%	33.6%	7.3%	17.6%	8.7%
	Grade 10	54.8%	45.3%	11.7%	23.3%	10.3%
	Grade 11	48.9%	51.2%	14.2%	27.2%	9.8%
	Grade 12	46.4%	53.6%	15.6%	29.8%	8.2%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	84.2%	5.8%	3.5%	3.2%	1.2%	2.0%
Grade 8	92.1%	3.4%	1.7%	1.2%	0.4%	1.2%
Grade 9	87.6%	4.9%	2.6%	2.3%	1.1%	1.5%
Grade 10	83.5%	5.5%	4.3%	3.4%	1.2%	2.2%
Grade 11	79.1%	7.3%	4.4%	4.9%	1.6%	2.7%
Grade 12	76.5%	8.6%	5.1%	5.0%	2.0%	2.7%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	*	*	11.3	12.2	13.0	13.9	14.6

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.6%	11.1%	5.4%	11.2%	21.0%	33.7%
Grade 8	23.4%	18.9%	8.0%	11.1%	17.3%	21.3%
Grade 9	19.8%	13.2%	5.6%	12.4%	19.2%	29.7%
Grade 10	15.2%	9.3%	4.7%	11.1%	22.8%	36.9%
Grade 11	13.4%	7.4%	4.4%	10.5%	22.6%	41.8%
Grade 12	14.8%	5.1%	4.1%	10.7%	24.0%	41.4%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.5%	3.5%	0.6%	0.4%
Grade 8	96.3%	2.8%	0.5%	0.4%
Grade 9	95.9%	3.2%	0.5%	0.4%
Grade 10	95.3%	3.7%	0.6%	0.4%
Grade 11	95.4%	3.7%	0.6%	0.4%
Grade 12	94.4%	4.3%	0.9%	0.4%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.4
Average days conduct problems reported	
Alcohol Users	2.5
Alcohol Non-Users	0.9

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	94.9%	3.9%	0.7%	0.4%
Grade 9	97.7%	2.0%	0.2%	0.2%
Grade 10	96.6%	2.7%	0.4%	0.3%
Grade 11	94.2%	4.6%	0.8%	0.4%
Grade 12	90.1%	7.2%	1.8%	0.9%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	95.5%	4.0%	0.4%	0.2%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	96.1%	3.3%	0.5%	0.1%
Grade 10	95.7%	4.0%	0.2%	0.1%
Grade 11	94.6%	4.8%	0.4%	0.2%
Grade 12	93.5%	5.6%	0.8%	0.2%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	94.4%	4.9%	0.4%	0.3%
Grade 8	96.4%	3.3%	0.2%	0.1%
Grade 9	95.4%	3.9%	0.4%	0.2%
Grade 10	94.1%	5.2%	0.4%	0.3%
Grade 11	92.9%	6.1%	0.7%	0.3%
Grade 12	92.7%	6.3%	0.5%	0.5%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	38.6%	25.0%	17.3%	14.9%	4.2%
Grade 8	60.7%	22.1%	10.9%	5.0%	1.4%
Grade 9	43.3%	27.2%	15.9%	11.0%	2.7%
Grade 10	31.4%	27.8%	20.5%	16.3%	4.0%
Grade 11	26.8%	26.0%	19.9%	21.2%	6.0%
Grade 12	26.6%	21.4%	20.6%	23.6%	7.8%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	40.9%	7.1%	5.9%	10.6%	14.5%	1.7%	19.2%
Grade 8	61.0%	8.4%	5.2%	5.4%	3.0%	2.1%	14.9%
Grade 9	44.5%	7.7%	6.9%	10.0%	10.3%	1.5%	19.1%
Grade 10	34.3%	7.4%	6.2%	12.6%	15.8%	1.9%	21.8%
Grade 11	30.9%	6.9%	5.2%	13.0%	20.9%	1.8%	21.3%
Grade 12	30.2%	4.7%	5.7%	13.1%	26.0%	1.0%	19.3%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	52.2%	20.7%	18.6%	6.0%	2.6%
	Grade 8	62.3%	18.8%	13.5%	4.0%	1.3%
	Grade 9	55.5%	19.6%	17.6%	5.4%	1.9%
	Grade 10	50.1%	21.3%	19.1%	6.9%	2.5%
	Grade 11	46.9%	20.9%	22.0%	6.8%	3.3%
	Grade 12	43.4%	23.3%	21.6%	7.2%	4.4%
Friends?	All	50.1%	17.5%	15.3%	12.8%	4.3%
	Grade 8	63.7%	20.6%	8.9%	5.4%	1.4%
	Grade 9	55.4%	18.7%	14.0%	9.2%	2.7%
	Grade 10	46.9%	17.2%	17.5%	13.4%	5.0%
	Grade 11	42.2%	14.9%	18.3%	18.3%	6.2%
	Grade 12	38.6%	14.9%	19.1%	20.1%	7.1%
Store?	All	53.5%	36.0%	5.1%	3.3%	2.0%
	Grade 8	65.3%	30.5%	2.3%	1.2%	0.7%
	Grade 9	59.0%	34.4%	3.7%	1.8%	1.1%
	Grade 10	49.9%	39.3%	5.4%	3.3%	2.1%
	Grade 11	47.5%	37.7%	6.7%	4.7%	3.4%
	Grade 12	42.7%	39.2%	8.6%	6.5%	3.1%
Parties?	All	48.5%	15.2%	11.4%	12.7%	12.2%
	Grade 8	61.2%	17.5%	8.9%	7.8%	4.6%
	Grade 9	53.2%	15.0%	11.6%	11.5%	8.7%
	Grade 10	45.5%	14.4%	12.4%	13.9%	13.8%
	Grade 11	41.3%	14.5%	12.2%	15.9%	16.2%
	Grade 12	38.2%	14.4%	12.1%	15.4%	19.9%
Other Source?	All	53.9%	25.3%	10.2%	5.5%	5.1%
	Grade 8	64.4%	22.4%	7.0%	3.4%	2.9%
	Grade 9	58.5%	23.9%	9.1%	4.5%	4.0%
	Grade 10	50.6%	26.1%	11.4%	6.6%	5.4%
	Grade 11	47.9%	27.0%	11.9%	6.7%	6.5%
	Grade 12	45.0%	28.2%	12.2%	7.1%	7.5%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	62.3%	14.4%	11.8%	4.0%	1.1%	6.3%
Grade 8	73.2%	10.0%	6.8%	2.0%	0.7%	7.4%
Grade 9	65.8%	13.3%	10.2%	3.2%	1.4%	6.0%
Grade 10	61.7%	15.0%	12.3%	5.1%	0.8%	5.2%
Grade 11	55.9%	16.5%	15.2%	5.3%	1.3%	5.8%
Grade 12	51.8%	18.6%	15.8%	5.0%	1.6%	7.3%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	49.2%	31.1%	13.3%	2.6%	3.8%
Grade 8	55.2%	26.3%	12.1%	2.2%	4.2%
Grade 9	51.9%	28.9%	13.4%	2.7%	3.1%
Grade 10	47.5%	32.7%	13.3%	2.8%	3.7%
Grade 11	43.7%	35.1%	14.1%	2.9%	4.2%
Grade 12	46.2%	33.7%	13.6%	2.4%	4.0%

Drugs

Table D-1: How recently, if ever, have you used ...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	10.4%	15.1%	26.7%	73.3%
	Grade 8	4.6%	7.0%	13.2%	86.8%
	Grade 9	8.1%	12.1%	21.5%	78.4%
	Grade 10	10.7%	15.8%	28.9%	71.0%
	Grade 11	15.2%	21.0%	35.5%	64.5%
	Grade 12	15.2%	22.1%	38.2%	61.9%
Cocaine?	All	0.7%	1.0%	2.3%	97.7%
	Grade 8	0.3%	0.4%	1.3%	98.7%
	Grade 9	0.6%	0.8%	1.5%	98.6%
	Grade 10	0.4%	0.6%	2.1%	97.9%
	Grade 11	1.2%	1.8%	3.3%	96.7%
	Grade 12	1.1%	1.5%	3.7%	96.3%
Crack?	All	0.2%	0.3%	0.6%	99.5%
	Grade 8	0.3%	0.4%	0.9%	99.1%
	Grade 9	0.2%	0.2%	0.3%	99.7%
	Grade 10	0.1%	0.2%	0.6%	99.4%
	Grade 11	0.1%	0.2%	0.6%	99.4%
	Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens?	All	0.9%	1.5%	3.0%	97.0%
	Grade 8	0.4%	0.5%	1.1%	98.8%
	Grade 9	0.7%	1.2%	2.2%	97.7%
	Grade 10	0.8%	1.2%	2.9%	97.1%
	Grade 11	1.5%	2.3%	4.5%	95.4%
	Grade 12	1.3%	2.3%	4.7%	95.3%
Rohypnol?	All	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.6%	1.0%	98.9%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.3%	0.4%	1.0%	99.0%

Table D-1: How recently, if ever, have you used ...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Steroids?	All	0.4%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.5%	1.2%	98.9%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.5%	0.5%	1.0%	98.9%
	Grade 11	0.6%	0.7%	1.2%	98.9%
	Grade 12	0.5%	0.7%	1.2%	98.8%
Ecstasy?	All	0.9%	1.4%	3.2%	96.8%
	Grade 8	0.4%	0.5%	1.4%	98.5%
	Grade 9	0.7%	1.2%	2.4%	97.5%
	Grade 10	0.7%	1.3%	3.0%	96.9%
	Grade 11	1.6%	2.0%	4.6%	95.5%
	Grade 12	1.1%	2.0%	4.8%	95.2%
Heroin?	All	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.1%	0.2%	0.4%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.7%
	Grade 10	0.1%	0.1%	0.3%	99.6%
	Grade 11	0.1%	0.2%	0.3%	99.8%
	Grade 12	0.3%	0.3%	0.5%	99.5%
Methamphetamine?	All	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.1%	0.2%	0.7%	99.3%
	Grade 9	0.1%	0.1%	0.4%	99.5%
	Grade 10	0.3%	0.4%	0.7%	99.3%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.3%	0.7%	1.0%	99.1%
Synthetic Marijuana?	All	2.0%	3.1%	7.5%	92.6%
	Grade 8	1.6%	2.2%	4.4%	95.7%
	Grade 9	2.1%	3.2%	6.4%	93.6%
	Grade 10	2.2%	3.6%	8.4%	91.6%
	Grade 11	1.9%	3.3%	9.4%	90.7%
	Grade 12	2.1%	3.2%	9.4%	90.7%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	76.6%	2.2%	2.5%	3.9%	4.4%	4.7%	5.6%
	Grade 8	88.4%	0.7%	1.4%	2.2%	2.2%	2.0%	3.1%
	Grade 9	81.6%	1.8%	2.0%	3.4%	3.6%	3.4%	4.2%
	Grade 10	73.9%	1.9%	2.8%	3.9%	5.5%	5.5%	6.6%
	Grade 11	68.9%	3.2%	3.7%	5.2%	5.5%	6.5%	7.0%
	Grade 12	66.8%	4.0%	3.2%	5.5%	6.0%	6.8%	7.7%
Cocaine?								
	All	98.6%	0.1%	0.1%	0.1%	0.3%	0.4%	0.5%
	Grade 8	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 9	98.9%	0.2%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 10	99.1%	0.0%	0.1%	0.0%	0.1%	0.4%	0.3%
	Grade 11	98.1%	0.1%	0.1%	0.2%	0.4%	0.5%	0.6%
	Grade 12	97.2%	0.2%	0.1%	0.3%	0.5%	0.5%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 8	99.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 9	99.6%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.2%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 11	99.3%	0.1%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 12	99.2%	0.1%	0.1%	0.1%	0.0%	0.0%	0.4%

Table D-2: How often do you normally use ...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	97.6%	0.1%	0.1%	0.1%	0.5%	0.7%	0.9%
	Grade 8	98.7%	0.0%	0.1%	0.1%	0.3%	0.4%	0.3%
	Grade 9	98.1%	0.1%	0.1%	0.0%	0.5%	0.5%	0.7%
	Grade 10	97.7%	0.0%	0.1%	0.2%	0.4%	0.9%	0.8%
	Grade 11	96.6%	0.1%	0.1%	0.2%	0.9%	0.8%	1.3%
	Grade 12	96.6%	0.0%	0.0%	0.2%	0.4%	1.0%	1.8%
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 11	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?								
	All	94.0%	0.2%	0.3%	0.5%	1.0%	1.3%	2.7%
	Grade 8	96.6%	0.2%	0.3%	0.4%	0.8%	0.8%	1.0%
	Grade 9	94.3%	0.3%	0.4%	0.7%	0.8%	1.3%	2.2%
	Grade 10	93.4%	0.1%	0.3%	0.8%	1.1%	1.5%	2.9%
	Grade 11	92.3%	0.1%	0.3%	0.5%	1.2%	1.5%	4.0%
	Grade 12	92.8%	0.2%	0.3%	0.2%	1.0%	1.4%	4.1%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	*	*	12.3	12.9	13.8	14.4	15.0
Cocaine	*	*	12.7	13.5	14.3	15.0	16.1
Crack	*	*	12.6	12.2	12.7	13.8	14.3
Steroids	*	*	11.9	12.2	12.9	13.1	15.3
Ecstasy	*	*	12.7	13.8	14.4	15.1	16.1
Heroin	*	*	10.9	12.7	13.3	12.8	16.6
Methamphetamine	*	*	13.0	12.6	13.4	14.4	15.5
Synthetic Marijuana	*	*	12.7	13.2	14.2	15.0	15.7

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	79.7%	0.3%	0.2%	1.2%	5.2%	8.4%	4.7%	0.4%	
Grade 8	91.1%	0.3%	0.3%	1.4%	5.2%	1.6%	0.0%	0.0%	
Grade 9	84.8%	0.2%	0.2%	1.3%	6.5%	6.9%	0.2%	0.0%	
Grade 10	77.8%	0.3%	0.1%	1.5%	5.7%	11.6%	3.1%	0.0%	
Grade 11	70.3%	0.5%	0.4%	1.0%	4.9%	13.4%	9.4%	0.2%	
Grade 12	69.8%	0.2%	0.2%	0.7%	3.1%	10.5%	13.5%	2.0%	
Other Family Situation									
All	64.5%	0.8%	0.7%	2.8%	10.5%	13.6%	6.7%	0.5%	
Grade 8	79.6%	0.8%	0.8%	3.0%	12.5%	3.2%	0.0%	0.0%	
Grade 9	69.7%	0.7%	1.0%	4.2%	12.5%	11.5%	0.3%	0.0%	
Grade 10	62.4%	1.2%	0.2%	2.6%	10.0%	19.2%	4.2%	0.1%	
Grade 11	57.7%	0.5%	0.3%	2.4%	9.0%	17.8%	12.3%	0.1%	
Grade 12	52.1%	0.6%	0.9%	1.4%	8.2%	15.7%	18.4%	2.6%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	20.7%	18.9%	7.7%	10.2%	15.4%	27.0%
	Grade 8	27.0%	31.6%	10.0%	9.0%	9.7%	12.7%
	Grade 9	22.3%	21.7%	8.5%	10.8%	14.6%	22.2%
	Grade 10	18.0%	16.3%	7.2%	11.5%	17.4%	29.6%
	Grade 11	16.7%	12.1%	6.4%	9.5%	17.8%	37.5%
	Grade 12	18.6%	10.1%	6.1%	10.0%	18.6%	36.6%
Cocaine	All	30.4%	31.7%	14.7%	11.2%	5.7%	6.3%
	Grade 8	32.6%	40.7%	12.4%	7.4%	3.6%	3.2%
	Grade 9	31.3%	33.7%	13.6%	10.5%	5.3%	5.7%
	Grade 10	28.4%	30.8%	16.0%	12.6%	6.1%	6.1%
	Grade 11	28.7%	26.1%	16.4%	13.1%	6.9%	8.8%
	Grade 12	30.3%	25.3%	15.5%	13.1%	7.1%	8.8%
Crack	All	32.2%	32.9%	15.4%	9.7%	4.7%	5.2%
	Grade 8	33.8%	40.9%	12.4%	6.5%	3.1%	3.4%
	Grade 9	33.0%	34.6%	13.8%	8.8%	4.7%	5.0%
	Grade 10	30.0%	32.7%	16.1%	11.1%	5.2%	5.0%
	Grade 11	31.3%	27.8%	17.9%	10.9%	5.4%	6.7%
	Grade 12	33.0%	26.6%	17.5%	11.5%	5.2%	6.1%
Steroids	All	33.4%	32.5%	14.5%	9.7%	4.9%	4.9%
	Grade 8	35.2%	39.4%	12.5%	6.4%	3.6%	2.9%
	Grade 9	34.0%	34.4%	13.5%	9.2%	4.5%	4.4%
	Grade 10	30.9%	32.5%	14.8%	11.1%	5.7%	5.0%
	Grade 11	32.7%	27.8%	17.2%	10.4%	5.7%	6.2%
	Grade 12	34.4%	26.4%	15.2%	11.8%	5.4%	6.7%

Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	38.0%	27.1%	12.5%	9.4%	6.4%	6.6%
	Grade 8	48.8%	31.1%	9.6%	5.3%	2.7%	2.4%
	Grade 9	39.6%	28.3%	11.2%	9.2%	6.2%	5.6%
	Grade 10	33.5%	28.9%	13.0%	11.1%	6.4%	7.0%
	Grade 11	32.8%	23.7%	14.6%	10.9%	8.9%	9.1%
	Grade 12	33.7%	22.3%	14.7%	11.0%	8.3%	10.1%
Heroin?							
	All	37.9%	34.8%	14.0%	6.4%	3.1%	3.8%
	Grade 8	42.9%	38.7%	10.0%	4.3%	2.4%	1.8%
	Grade 9	39.0%	34.8%	12.6%	6.4%	3.4%	3.8%
	Grade 10	34.3%	36.3%	14.8%	7.6%	3.1%	3.9%
	Grade 11	36.1%	32.6%	15.8%	7.3%	3.5%	4.7%
	Grade 12	36.5%	30.8%	17.9%	6.6%	3.0%	5.2%
Methamphetamine?							
	All	40.0%	33.0%	13.2%	6.4%	3.1%	4.3%
	Grade 8	47.3%	35.0%	9.4%	4.2%	1.9%	2.3%
	Grade 9	41.2%	33.7%	11.9%	6.1%	3.1%	4.1%
	Grade 10	36.4%	33.9%	13.8%	7.9%	3.6%	4.3%
	Grade 11	36.7%	31.4%	15.4%	7.0%	3.7%	5.7%
	Grade 12	37.0%	30.2%	16.6%	7.4%	3.3%	5.5%
Synthetic Marijuana?							
	All	38.3%	23.8%	9.3%	8.1%	8.7%	11.8%
	Grade 8	47.2%	28.9%	8.1%	5.0%	5.1%	5.7%
	Grade 9	39.1%	25.7%	8.2%	7.7%	8.0%	11.3%
	Grade 10	34.4%	23.9%	9.8%	9.5%	10.1%	12.3%
	Grade 11	34.0%	19.9%	10.2%	9.4%	11.9%	14.6%
	Grade 12	35.3%	19.1%	11.0%	9.1%	9.2%	16.3%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	91.0%	5.2%	1.4%	2.4%
Grade 8	95.1%	3.5%	0.7%	0.8%
Grade 9	91.6%	4.7%	1.5%	2.2%
Grade 10	91.3%	5.1%	1.1%	2.4%
Grade 11	87.8%	6.6%	2.2%	3.4%
Grade 12	88.2%	6.3%	1.7%	3.7%
Attended Class While High From Use Of Some Other Drug?				
All	96.7%	2.2%	0.5%	0.6%
Grade 8	97.4%	1.9%	0.3%	0.5%
Grade 9	97.3%	2.0%	0.3%	0.4%
Grade 10	96.4%	2.1%	0.8%	0.7%
Grade 11	95.9%	2.9%	0.8%	0.5%
Grade 12	96.2%	2.2%	0.5%	1.0%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.7
Marijuana Non-Users	3.6
Average days conduct problems reported	
Marijuana Users	3.5
Marijuana Non-Users	1.1

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	93.8%	3.9%	0.9%	1.3%
Grade 9	97.2%	2.1%	0.3%	0.4%
Grade 10	96.0%	2.7%	0.5%	0.9%
Grade 11	91.7%	5.4%	1.2%	1.6%
Grade 12	89.1%	6.3%	1.9%	2.8%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.5%	3.8%	0.4%	0.3%
Grade 8	96.4%	3.1%	0.4%	0.1%
Grade 9	94.8%	4.5%	0.4%	0.4%
Grade 10	95.6%	3.7%	0.5%	0.1%
Grade 11	95.2%	4.0%	0.4%	0.4%
Grade 12	95.6%	3.5%	0.5%	0.4%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	94.8%	4.1%	0.7%	0.5%
Grade 8	96.9%	2.4%	0.5%	0.2%
Grade 9	94.2%	4.7%	0.5%	0.7%
Grade 10	94.4%	4.4%	0.7%	0.5%
Grade 11	94.0%	4.6%	1.0%	0.4%
Grade 12	94.5%	4.4%	0.5%	0.6%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	47.2%	21.1%	14.7%	12.6%	4.4%
Grade 8	65.5%	17.0%	8.9%	6.7%	1.8%
Grade 9	51.6%	20.9%	13.6%	10.5%	3.4%
Grade 10	41.9%	23.0%	16.6%	14.1%	4.3%
Grade 11	36.2%	23.5%	16.9%	17.0%	6.4%
Grade 12	37.2%	21.6%	18.5%	15.8%	6.9%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	48.6%	7.1%	5.9%	7.7%	9.2%	2.5%	19.1%
Grade 8	68.1%	5.1%	3.5%	3.4%	2.7%	2.5%	14.7%
Grade 9	52.4%	7.4%	5.2%	6.8%	6.7%	2.3%	19.2%
Grade 10	43.0%	7.3%	7.0%	8.5%	9.4%	3.0%	21.8%
Grade 11	37.9%	8.4%	6.9%	9.1%	13.8%	2.7%	21.3%
Grade 12	37.8%	7.5%	7.1%	11.4%	15.2%	1.9%	19.1%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	77.4%	6.9%	6.2%	1.7%	1.6%	6.2%
Grade 8	83.4%	3.9%	3.9%	0.9%	1.2%	6.8%
Grade 9	79.5%	6.4%	5.0%	1.2%	2.0%	5.9%
Grade 10	77.3%	7.6%	6.2%	2.0%	1.5%	5.5%
Grade 11	74.0%	8.1%	7.9%	2.3%	1.7%	6.0%
Grade 12	70.9%	9.5%	8.6%	2.1%	1.9%	7.0%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	52.3%	14.7%	12.7%	16.1%	4.2%
	Grade 8	68.1%	13.3%	6.8%	7.6%	4.2%
	Grade 9	58.1%	13.5%	11.1%	13.3%	4.0%
	Grade 10	47.2%	16.4%	15.2%	17.6%	3.6%
	Grade 11	41.7%	15.5%	15.2%	22.8%	4.8%
	Grade 12	43.0%	15.0%	16.5%	21.1%	4.5%
Cocaine?	All	86.7%	6.7%	1.1%	0.6%	4.9%
	Grade 8	87.0%	6.5%	1.3%	0.5%	4.8%
	Grade 9	87.1%	6.6%	1.0%	0.7%	4.6%
	Grade 10	86.5%	7.9%	0.9%	0.5%	4.2%
	Grade 11	86.1%	6.8%	1.0%	0.6%	5.5%
	Grade 12	86.7%	5.9%	1.2%	0.5%	5.7%
Crack?	All	87.8%	5.7%	0.8%	0.6%	5.1%
	Grade 8	87.0%	6.3%	1.1%	0.5%	5.1%
	Grade 9	88.0%	5.6%	0.8%	0.8%	4.8%
	Grade 10	87.3%	6.8%	0.7%	0.6%	4.6%
	Grade 11	88.1%	5.3%	0.5%	0.6%	5.5%
	Grade 12	89.0%	4.0%	0.5%	0.6%	5.9%
Ecstasy?	All	80.3%	8.8%	2.6%	1.0%	7.3%
	Grade 8	81.8%	6.2%	1.7%	0.8%	9.6%
	Grade 9	80.8%	8.4%	2.8%	1.1%	7.0%
	Grade 10	79.7%	10.3%	2.7%	1.1%	6.1%
	Grade 11	79.0%	10.3%	2.9%	0.9%	6.9%
	Grade 12	80.2%	9.1%	2.9%	1.1%	6.7%

Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	79.0%	7.5%	2.8%	1.4%	9.3%
	Grade 8	81.2%	5.2%	1.7%	1.0%	10.9%
	Grade 9	80.5%	6.6%	2.5%	1.2%	9.2%
	Grade 10	77.8%	8.5%	3.3%	1.8%	8.7%
	Grade 11	77.3%	9.0%	3.0%	1.5%	9.3%
	Grade 12	77.7%	8.7%	3.9%	1.4%	8.3%
Steroids?	All	75.4%	13.3%	3.8%	1.3%	6.2%
	Grade 8	77.2%	11.6%	3.1%	1.2%	6.9%
	Grade 9	75.8%	13.5%	3.9%	1.2%	5.6%
	Grade 10	74.6%	14.3%	4.3%	1.5%	5.4%
	Grade 11	74.3%	14.2%	3.3%	1.5%	6.7%
	Grade 12	74.7%	13.1%	4.7%	1.1%	6.4%
Heroin?	All	88.4%	4.3%	0.7%	0.6%	6.0%
	Grade 8	86.6%	5.0%	0.9%	0.6%	6.9%
	Grade 9	88.0%	4.7%	0.8%	0.8%	5.8%
	Grade 10	88.7%	4.9%	0.7%	0.5%	5.2%
	Grade 11	89.2%	3.7%	0.6%	0.5%	6.0%
	Grade 12	89.9%	2.7%	0.6%	0.5%	6.3%
Methamphetamine?	All	88.2%	4.1%	0.7%	0.6%	6.3%
	Grade 8	85.9%	4.8%	1.1%	0.4%	7.9%
	Grade 9	88.2%	4.0%	0.9%	0.9%	6.1%
	Grade 10	88.8%	4.8%	0.8%	0.5%	5.1%
	Grade 11	89.0%	3.9%	0.5%	0.5%	6.1%
	Grade 12	89.7%	2.8%	0.5%	0.6%	6.4%
Synthetic Marijuana?	All	76.9%	9.0%	4.0%	1.8%	8.2%
	Grade 8	78.8%	7.5%	3.0%	1.7%	9.0%
	Grade 9	77.2%	9.2%	4.2%	1.9%	7.5%
	Grade 10	75.0%	10.3%	4.8%	2.4%	7.5%
	Grade 11	75.7%	10.0%	4.2%	1.8%	8.4%
	Grade 12	78.0%	8.0%	4.2%	1.4%	8.5%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.6%	7.8%	11.8%	88.1%
Grade 8	3.6%	4.7%	7.4%	92.5%
Grade 9	5.2%	6.8%	10.4%	89.6%
Grade 10	5.9%	8.6%	13.0%	86.9%
Grade 11	7.2%	10.0%	14.8%	85.3%
Grade 12	6.6%	9.7%	14.7%	85.2%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.5%	2.0%	2.9%	97.1%
Grade 8	0.5%	0.7%	1.2%	98.9%
Grade 9	1.1%	1.3%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.2%	96.7%
Grade 11	2.5%	3.3%	4.8%	95.3%
Grade 12	2.1%	3.1%	4.2%	95.8%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.9%	4.3%	6.1%	93.9%
Grade 8	1.1%	1.6%	2.2%	97.9%
Grade 9	1.9%	2.6%	3.8%	96.2%
Grade 10	3.2%	4.5%	6.6%	93.4%
Grade 11	4.2%	6.6%	9.7%	90.4%
Grade 12	5.0%	7.3%	9.7%	90.3%
Valium Or Diazepam?				
All	0.7%	0.9%	1.3%	98.7%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 10	0.7%	0.8%	1.2%	98.8%
Grade 11	0.9%	1.1%	1.9%	98.2%
Grade 12	1.1%	1.4%	1.8%	98.2%
Xanax Or Alprazolam?				
All	1.9%	2.7%	3.8%	96.2%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.5%	2.0%	2.8%	97.1%
Grade 10	1.9%	2.6%	3.7%	96.3%
Grade 11	3.0%	4.2%	6.2%	93.7%
Grade 12	2.9%	4.1%	5.2%	94.8%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.7%	2.3%	3.6%	96.4%
Grade 8	1.9%	2.5%	3.7%	96.3%
Grade 9	1.3%	1.7%	3.0%	96.9%
Grade 10	1.7%	2.6%	3.8%	96.1%
Grade 11	1.9%	2.4%	4.1%	95.9%
Grade 12	1.6%	2.2%	3.2%	96.7%

Inhalants

Table I-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.5%	0.7%	2.6%	97.3%
Grade 8	0.7%	1.1%	3.4%	96.6%
Grade 9	0.4%	0.6%	2.2%	97.7%
Grade 10	0.4%	0.5%	2.4%	97.6%
Grade 11	0.7%	0.8%	2.7%	97.3%
Grade 12	0.6%	0.8%	2.6%	97.4%
Whiteout, Correction Fluid, Magic Markers?				
All	1.3%	1.9%	5.9%	94.1%
Grade 8	1.8%	2.9%	8.4%	91.5%
Grade 9	1.6%	2.4%	6.8%	93.2%
Grade 10	1.1%	1.5%	5.6%	94.4%
Grade 11	0.9%	1.3%	4.4%	95.6%
Grade 12	0.8%	1.1%	3.6%	96.5%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.5%	98.4%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.3%	0.5%	1.3%	98.8%
Grade 10	0.2%	0.4%	1.3%	98.6%
Grade 11	0.3%	0.4%	1.6%	98.4%
Grade 12	0.5%	0.8%	2.0%	98.0%
Helium, Butane, Propane, Whippets, Freon?				
All	1.7%	2.5%	6.2%	93.8%
Grade 8	1.7%	2.5%	6.7%	93.3%
Grade 9	1.8%	2.6%	7.1%	93.0%
Grade 10	1.9%	2.8%	6.8%	93.2%
Grade 11	1.5%	2.3%	5.7%	94.3%
Grade 12	1.2%	1.9%	4.2%	95.8%
Glue?				
All	0.2%	0.3%	1.0%	99.0%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.3%	0.9%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	1.1%	99.0%
Grade 12	0.0%	0.1%	0.7%	99.3%

**Table I-1: How recently, if ever, have you used ...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.4%	0.5%	1.1%	98.8%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	0.2%	0.3%	1.1%	98.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.4%	0.9%	99.1%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.7%	0.9%	2.1%	97.9%
Grade 8	0.9%	1.4%	3.2%	96.8%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	0.5%	0.6%	1.4%	98.7%
Grade 12	0.5%	0.7%	1.9%	98.2%
Other Aerosols/Sprays?				
All	0.6%	0.8%	1.9%	98.1%
Grade 8	0.9%	1.4%	2.9%	97.1%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.4%	0.7%	1.8%	98.2%
Grade 11	0.2%	0.3%	1.5%	98.4%
Grade 12	0.5%	0.7%	1.5%	98.5%
Any Inhalant?				
All	3.6%	4.9%	12.0%	88.1%
Grade 8	4.4%	6.4%	14.8%	85.2%
Grade 9	4.0%	5.2%	13.0%	87.1%
Grade 10	3.5%	4.5%	12.1%	87.9%
Grade 11	3.2%	4.2%	10.1%	90.0%
Grade 12	2.6%	3.7%	9.0%	91.0%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.8%	0.0%	0.1%	0.3%	0.5%	0.6%	1.7%
Grade 8	94.8%	0.1%	0.2%	0.6%	0.9%	1.2%	2.3%
Grade 9	96.9%	0.0%	0.2%	0.3%	0.5%	0.6%	1.6%
Grade 10	97.5%	0.0%	0.0%	0.3%	0.4%	0.3%	1.5%
Grade 11	97.3%	0.0%	0.0%	0.1%	0.3%	0.6%	1.6%
Grade 12	97.6%	0.0%	0.2%	0.2%	0.2%	0.3%	1.5%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	88.2%	6.8%	3.7%	1.3%
Grade 8	85.3%	7.7%	5.2%	1.9%
Grade 9	87.2%	8.0%	3.6%	1.2%
Grade 10	88.0%	7.1%	3.9%	1.1%
Grade 11	90.1%	6.1%	2.6%	1.2%
Grade 12	91.1%	4.8%	3.3%	0.8%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	*	*	11.1	11.3	12.0	12.6	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	99.0%	0.7%	0.1%	0.1%
Grade 8	98.4%	1.2%	0.1%	0.2%
Grade 9	99.0%	0.7%	0.2%	0.2%
Grade 10	99.1%	0.7%	0.0%	0.1%
Grade 11	99.5%	0.3%	0.2%	0.1%
Grade 12	99.3%	0.4%	0.1%	0.1%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users	5.0
Inhalants Non-Users	3.7
Average days conduct problems reported	
Inhalants Users	4.0
Inhalants Non-Users	1.4

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	91.0%	6.3%	1.9%	0.6%	0.2%
Grade 8	90.5%	6.7%	2.3%	0.4%	0.2%
Grade 9	90.2%	7.0%	1.8%	0.7%	0.2%
Grade 10	90.3%	6.8%	2.1%	0.6%	0.2%
Grade 11	91.2%	5.9%	2.2%	0.5%	0.1%
Grade 12	93.4%	4.7%	1.2%	0.5%	0.2%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	75.1%	13.1%	3.7%	1.1%	7.1%
Grade 8	74.6%	13.6%	4.5%	1.1%	6.2%
Grade 9	76.0%	12.5%	3.5%	1.2%	6.8%
Grade 10	72.8%	14.8%	3.7%	1.4%	7.3%
Grade 11	74.9%	12.6%	3.8%	1.1%	7.6%
Grade 12	77.4%	11.7%	2.5%	0.6%	7.8%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.0%	14.8%	5.0%	6.8%	11.1%	28.4%
Grade 8	35.0%	19.6%	5.9%	6.3%	11.1%	22.1%
Grade 9	34.0%	17.9%	4.9%	7.0%	9.7%	26.4%
Grade 10	32.0%	13.0%	4.8%	7.8%	11.4%	30.9%
Grade 11	33.5%	12.3%	4.9%	6.1%	11.4%	31.7%
Grade 12	35.4%	9.5%	4.2%	6.5%	12.4%	32.0%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	44.2%
	Grade 8	48.7%
	Grade 9	44.6%
	Grade 10	44.1%
	Grade 11	43.7%
	Grade 12	39.0%
An Assembly Program		
	All	42.5%
	Grade 8	52.6%
	Grade 9	40.6%
	Grade 10	38.9%
	Grade 11	37.9%
	Grade 12	41.8%
Guidance Counselor		
	All	25.0%
	Grade 8	36.7%
	Grade 9	25.1%
	Grade 10	20.7%
	Grade 11	20.2%
	Grade 12	20.9%
Science Or Social Studies Class		
	All	28.9%
	Grade 8	29.5%
	Grade 9	31.6%
	Grade 10	28.6%
	Grade 11	26.0%
	Grade 12	28.3%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

	Yes
Student Group Or Club Meeting At School	
All	14.9%
Grade 8	16.0%
Grade 9	14.8%
Grade 10	14.3%
Grade 11	14.8%
Grade 12	14.9%
An Invited School Guest	
All	29.0%
Grade 8	39.5%
Grade 9	27.5%
Grade 10	25.6%
Grade 11	24.5%
Grade 12	27.0%
Another Source At School	
All	30.8%
Grade 8	32.0%
Grade 9	32.4%
Grade 10	30.0%
Grade 11	29.9%
Grade 12	29.0%
Any School Source	
All	67.3%
Grade 8	75.1%
Grade 9	67.4%
Grade 10	65.9%
Grade 11	64.1%
Grade 12	62.8%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	34.9%
	Grade 8	43.9%
	Grade 9	36.9%
	Grade 10	31.2%
	Grade 11	29.2%
	Grade 12	31.6%
Another Adult In School		
	All	40.0%
	Grade 8	46.5%
	Grade 9	41.7%
	Grade 10	36.2%
	Grade 11	35.0%
	Grade 12	39.6%
Counselor/Program Outside-School		
	All	40.3%
	Grade 8	47.4%
	Grade 9	41.0%
	Grade 10	37.3%
	Grade 11	36.0%
	Grade 12	38.9%
Your Parents		
	All	64.0%
	Grade 8	68.2%
	Grade 9	64.6%
	Grade 10	62.5%
	Grade 11	62.5%
	Grade 12	61.4%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	50.0%
	Grade 8	57.7%
	Grade 9	50.7%
	Grade 10	48.8%
	Grade 11	44.3%
	Grade 12	47.3%
Your Friends		
	All	66.3%
	Grade 8	61.2%
	Grade 9	64.5%
	Grade 10	67.9%
	Grade 11	69.4%
	Grade 12	69.5%
Another Adult		
	All	60.9%
	Grade 8	62.3%
	Grade 9	61.6%
	Grade 10	61.1%
	Grade 11	59.3%
	Grade 12	59.5%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	6.8%
	Grade 8	7.4%
	Grade 9	7.4%
	Grade 10	6.5%
	Grade 11	7.1%
	Grade 12	5.4%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	4.8%	23.8%	26.3%	35.4%	9.7%
Grade 8	5.3%	20.2%	24.1%	37.1%	13.3%
Grade 9	4.8%	24.4%	26.6%	34.8%	9.4%
Grade 10	3.9%	26.2%	26.3%	35.3%	8.3%
Grade 11	4.6%	24.3%	28.5%	34.0%	8.5%
Grade 12	5.7%	24.1%	26.3%	35.6%	8.3%
Sometimes Carry Weapons?					
All	66.3%	20.3%	8.4%	3.8%	1.2%
Grade 8	75.6%	16.5%	5.3%	1.5%	1.0%
Grade 9	68.6%	19.5%	7.3%	3.7%	0.9%
Grade 10	64.6%	21.1%	8.7%	4.4%	1.1%
Grade 11	61.8%	21.8%	10.5%	4.3%	1.5%
Grade 12	58.7%	23.3%	11.1%	5.2%	1.6%
Care About Making Good Grades?					
All	2.2%	11.9%	21.5%	44.2%	20.2%
Grade 8	2.3%	11.5%	20.2%	41.0%	25.1%
Grade 9	1.9%	13.6%	23.0%	41.9%	19.6%
Grade 10	2.1%	12.8%	23.0%	46.1%	16.0%
Grade 11	1.8%	11.1%	21.8%	45.4%	19.8%
Grade 12	3.0%	10.3%	18.8%	47.5%	20.4%
Belong/Want To Belong To A Gang?					
All	81.4%	12.0%	4.2%	1.5%	0.8%
Grade 8	82.8%	11.6%	3.4%	1.1%	1.0%
Grade 9	78.2%	13.5%	5.2%	2.2%	0.9%
Grade 10	81.4%	12.4%	3.8%	1.8%	0.6%
Grade 11	82.1%	11.5%	4.5%	1.2%	0.6%
Grade 12	83.4%	10.3%	3.9%	1.2%	1.2%
Wish They Could Drop Out Of School?					
All	60.4%	25.9%	8.3%	3.2%	2.1%
Grade 8	63.2%	25.5%	7.1%	2.6%	1.7%
Grade 9	58.8%	26.8%	8.6%	3.7%	2.1%
Grade 10	57.2%	27.0%	9.8%	3.7%	2.2%
Grade 11	58.1%	27.1%	9.1%	3.1%	2.6%
Grade 12	65.7%	22.5%	6.9%	2.9%	2.1%

Table X-5: How safe to do you feel when you are:

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?					
All	84.6%	13.4%	0.9%	0.2%	0.8%
Grade 8	83.3%	14.6%	1.0%	0.2%	0.9%
Grade 9	83.5%	14.5%	0.9%	0.3%	0.8%
Grade 10	84.5%	13.5%	0.9%	0.2%	0.9%
Grade 11	85.7%	12.4%	1.0%	0.1%	0.8%
Grade 12	86.6%	11.5%	0.7%	0.5%	0.7%
Out In Your Neighborhood?					
All	42.6%	46.6%	6.9%	1.6%	2.3%
Grade 8	39.9%	47.7%	8.1%	1.4%	2.8%
Grade 9	40.5%	48.6%	7.0%	1.6%	2.3%
Grade 10	41.7%	48.2%	6.3%	1.3%	2.5%
Grade 11	44.7%	44.1%	7.5%	1.7%	1.9%
Grade 12	47.7%	43.4%	5.2%	1.8%	1.8%
At School?					
All	41.2%	44.6%	7.5%	3.3%	3.4%
Grade 8	45.9%	40.4%	6.7%	3.3%	3.7%
Grade 9	37.7%	46.5%	8.9%	2.9%	3.9%
Grade 10	37.9%	48.6%	7.3%	2.9%	3.3%
Grade 11	39.7%	45.3%	7.6%	4.1%	3.3%
Grade 12	45.5%	41.9%	6.7%	3.5%	2.4%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.7%	13.7%	25.1%	75.0%
	Grade 8	5.1%	7.5%	15.0%	85.0%
	Grade 9	6.7%	10.1%	21.0%	79.0%
	Grade 10	9.6%	13.9%	25.8%	74.2%
	Grade 11	13.1%	18.2%	32.1%	67.8%
	Grade 12	15.8%	20.9%	34.0%	66.0%
Alcohol	All	23.7%	33.6%	54.8%	45.2%
	Grade 8	13.2%	19.8%	40.4%	59.7%
	Grade 9	19.9%	28.2%	50.2%	49.8%
	Grade 10	25.5%	36.3%	58.4%	41.5%
	Grade 11	30.1%	41.7%	64.1%	36.0%
	Grade 12	32.7%	45.8%	64.3%	35.7%
Inhalants	All	3.6%	4.9%	12.0%	88.1%
	Grade 8	4.4%	6.4%	14.8%	85.2%
	Grade 9	4.0%	5.2%	13.0%	87.1%
	Grade 10	3.5%	4.5%	12.1%	87.9%
	Grade 11	3.2%	4.2%	10.1%	90.0%
	Grade 12	2.6%	3.7%	9.0%	91.0%
Any Illicit Drug	All	11.3%	16.0%	27.6%	72.4%
	Grade 8	5.3%	7.8%	14.4%	85.6%
	Grade 9	9.1%	13.1%	22.4%	77.7%
	Grade 10	11.5%	16.6%	29.8%	70.2%
	Grade 11	16.3%	22.1%	36.5%	63.6%
	Grade 12	15.9%	22.8%	38.7%	61.3%
Marijuana	All	10.4%	15.1%	26.7%	73.3%
	Grade 8	4.6%	7.0%	13.2%	86.8%
	Grade 9	8.1%	12.1%	21.5%	78.4%
	Grade 10	10.7%	15.8%	28.9%	71.0%
	Grade 11	15.2%	21.0%	35.5%	64.5%
	Grade 12	15.2%	22.1%	38.2%	61.9%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	4.9%	7.8%	16.1%	83.8%
	Grade 8	1.9%	3.3%	7.6%	92.4%
	Grade 9	4.0%	6.4%	13.0%	86.9%
	Grade 10	5.2%	8.3%	17.9%	82.0%
	Grade 11	7.2%	10.8%	20.9%	79.1%
	Grade 12	7.1%	11.5%	23.5%	76.5%
Cocaine Or Crack					
	All	0.8%	1.1%	2.5%	97.5%
	Grade 8	0.5%	0.7%	1.8%	98.2%
	Grade 9	0.6%	0.8%	1.5%	98.5%
	Grade 10	0.4%	0.7%	2.3%	97.7%
	Grade 11	1.3%	2.0%	3.6%	96.5%
	Grade 12	1.2%	1.6%	3.9%	96.1%
Cocaine					
	All	0.7%	1.0%	2.3%	97.7%
	Grade 8	0.3%	0.4%	1.3%	98.7%
	Grade 9	0.6%	0.8%	1.5%	98.6%
	Grade 10	0.4%	0.6%	2.1%	97.9%
	Grade 11	1.2%	1.8%	3.3%	96.7%
	Grade 12	1.1%	1.5%	3.7%	96.3%
Crack					
	All	0.2%	0.3%	0.6%	99.5%
	Grade 8	0.3%	0.4%	0.9%	99.1%
	Grade 9	0.2%	0.2%	0.3%	99.7%
	Grade 10	0.1%	0.2%	0.6%	99.4%
	Grade 11	0.1%	0.2%	0.6%	99.4%
	Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens					
	All	0.9%	1.5%	3.0%	97.0%
	Grade 8	0.4%	0.5%	1.1%	98.8%
	Grade 9	0.7%	1.2%	2.2%	97.7%
	Grade 10	0.8%	1.2%	2.9%	97.1%
	Grade 11	1.5%	2.3%	4.5%	95.4%
	Grade 12	1.3%	2.3%	4.7%	95.3%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.6%	1.0%	98.9%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.3%	0.4%	1.0%	99.0%
	Steroids	All	0.4%	0.5%	1.1%
Grade 8		0.4%	0.5%	1.2%	98.9%
Grade 9		0.1%	0.2%	0.8%	99.2%
Grade 10		0.5%	0.5%	1.0%	98.9%
Grade 11		0.6%	0.7%	1.2%	98.9%
Grade 12		0.5%	0.7%	1.2%	98.8%
Ecstasy		All	0.9%	1.4%	3.2%
	Grade 8	0.4%	0.5%	1.4%	98.5%
	Grade 9	0.7%	1.2%	2.4%	97.5%
	Grade 10	0.7%	1.3%	3.0%	96.9%
	Grade 11	1.6%	2.0%	4.6%	95.5%
	Grade 12	1.1%	2.0%	4.8%	95.2%
	Heroin	All	0.1%	0.1%	0.3%
Grade 8		0.1%	0.2%	0.4%	99.7%
Grade 9		0.0%	0.0%	0.2%	99.7%
Grade 10		0.1%	0.1%	0.3%	99.6%
Grade 11		0.1%	0.2%	0.3%	99.8%
Grade 12		0.3%	0.3%	0.5%	99.5%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.1%	7.5%	92.6%
Grade 8	1.6%	2.2%	4.4%	95.7%
Grade 9	2.1%	3.2%	6.4%	93.6%
Grade 10	2.2%	3.6%	8.4%	91.6%
Grade 11	1.9%	3.3%	9.4%	90.7%
Grade 12	2.1%	3.2%	9.4%	90.7%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.7%	1.0%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.0%	15.3%	26.8%	73.2%
	Grade 8	5.1%	8.2%	15.7%	84.4%
	Grade 9	7.9%	11.7%	22.8%	77.2%
	Grade 10	9.7%	14.3%	25.6%	74.3%
	Grade 11	15.2%	19.9%	34.0%	66.1%
	Grade 12	19.4%	25.4%	39.5%	60.5%
Alcohol	All	22.6%	31.7%	52.1%	47.9%
	Grade 8	11.8%	18.2%	38.6%	61.4%
	Grade 9	18.4%	26.2%	47.6%	52.4%
	Grade 10	22.2%	32.3%	54.6%	45.3%
	Grade 11	28.9%	39.6%	59.3%	40.6%
	Grade 12	35.0%	46.2%	63.8%	36.2%
Inhalants	All	3.5%	4.5%	10.9%	89.2%
	Grade 8	3.8%	5.2%	12.7%	87.3%
	Grade 9	3.6%	4.6%	11.4%	88.7%
	Grade 10	3.0%	3.7%	10.7%	89.3%
	Grade 11	3.6%	4.3%	9.2%	90.8%
	Grade 12	3.4%	4.6%	9.9%	90.1%
Any Illicit Drug	All	11.9%	16.6%	28.7%	71.3%
	Grade 8	5.4%	8.1%	14.7%	85.3%
	Grade 9	9.0%	13.1%	23.3%	76.7%
	Grade 10	11.1%	15.3%	28.7%	71.3%
	Grade 11	16.4%	22.3%	38.2%	61.9%
	Grade 12	19.9%	27.1%	42.7%	57.3%
Marijuana	All	10.8%	15.5%	27.7%	72.3%
	Grade 8	4.6%	7.3%	13.5%	86.5%
	Grade 9	7.9%	12.0%	22.4%	77.5%
	Grade 10	9.9%	14.3%	27.6%	72.3%
	Grade 11	15.0%	20.8%	37.2%	62.8%
	Grade 12	18.6%	25.9%	42.0%	58.1%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.8%	7.4%	15.6%	84.4%
Grade 8	2.1%	3.7%	8.1%	92.0%
Grade 9	3.8%	6.1%	12.9%	87.1%
Grade 10	4.6%	6.9%	16.3%	83.7%
Grade 11	5.9%	9.0%	19.7%	80.3%
Grade 12	8.3%	12.4%	23.1%	76.9%
Cocaine Or Crack				
All	1.0%	1.4%	3.0%	96.9%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.6%	1.0%	2.8%	97.2%
Grade 11	1.9%	2.9%	5.1%	94.9%
Grade 12	2.1%	2.7%	5.5%	94.6%
Cocaine				
All	1.0%	1.4%	3.0%	97.1%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.6%	0.8%	1.7%	98.3%
Grade 10	0.6%	1.0%	2.7%	97.4%
Grade 11	1.8%	2.6%	4.8%	95.1%
Grade 12	1.9%	2.5%	5.2%	94.8%
Crack				
All	0.2%	0.3%	0.6%	99.5%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.6%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Hallucinogens				
All	1.2%	2.0%	4.1%	95.9%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.8%	1.6%	3.0%	97.1%
Grade 10	1.0%	1.5%	3.4%	96.6%
Grade 11	2.1%	3.3%	6.7%	93.3%
Grade 12	2.2%	3.7%	7.3%	92.7%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.4%	1.0%	98.9%
	Grade 10	0.7%	0.8%	1.0%	99.0%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.5%	0.6%	1.0%	99.0%
Steroids	All	0.6%	0.7%	1.3%	98.7%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.8%	0.9%	1.7%	98.3%
	Grade 11	0.7%	0.8%	1.6%	98.4%
	Grade 12	0.8%	1.2%	1.7%	98.3%
Ecstasy	All	1.0%	1.5%	3.4%	96.6%
	Grade 8	0.7%	0.8%	1.9%	98.1%
	Grade 9	0.7%	1.4%	2.7%	97.4%
	Grade 10	1.0%	1.6%	3.1%	96.9%
	Grade 11	1.3%	1.6%	4.4%	95.5%
	Grade 12	1.7%	2.7%	5.7%	94.3%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.1%	0.1%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.2%	0.3%	0.5%	99.5%
	Grade 11	0.1%	0.2%	0.3%	99.6%
	Grade 12	0.5%	0.5%	0.9%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.2%	3.4%	8.4%	91.6%
Grade 8	1.8%	2.2%	4.5%	95.5%
Grade 9	2.0%	3.3%	7.0%	93.1%
Grade 10	2.2%	3.6%	8.6%	91.4%
Grade 11	2.4%	3.9%	11.2%	88.7%
Grade 12	2.7%	4.2%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.4%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.4%	0.9%	99.1%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.4%	12.0%	23.2%	76.8%
	Grade 8	5.1%	7.0%	14.5%	85.6%
	Grade 9	5.4%	8.3%	19.2%	80.8%
	Grade 10	9.3%	13.1%	25.7%	74.3%
	Grade 11	11.1%	16.7%	30.3%	69.7%
	Grade 12	12.1%	16.4%	28.6%	71.4%
Alcohol	All	24.8%	35.5%	57.6%	42.4%
	Grade 8	14.4%	21.3%	42.3%	57.7%
	Grade 9	21.4%	30.2%	52.8%	47.3%
	Grade 10	28.6%	40.1%	62.2%	37.9%
	Grade 11	31.5%	43.9%	68.9%	31.1%
	Grade 12	30.3%	45.2%	64.7%	35.3%
Inhalants	All	3.6%	5.2%	13.1%	86.9%
	Grade 8	5.0%	7.6%	17.1%	82.9%
	Grade 9	4.3%	5.7%	14.5%	85.5%
	Grade 10	4.0%	5.4%	13.6%	86.5%
	Grade 11	2.8%	4.1%	11.0%	89.0%
	Grade 12	1.6%	2.6%	7.9%	92.1%
Any Illicit Drug	All	10.6%	15.4%	26.5%	73.4%
	Grade 8	5.2%	7.6%	14.2%	85.8%
	Grade 9	8.9%	12.7%	21.0%	78.9%
	Grade 10	12.0%	17.9%	30.8%	69.2%
	Grade 11	16.1%	21.9%	34.7%	65.3%
	Grade 12	11.8%	18.4%	34.7%	65.3%
Marijuana	All	10.1%	14.8%	25.7%	74.3%
	Grade 8	4.6%	6.8%	12.9%	87.2%
	Grade 9	8.2%	12.1%	20.5%	79.5%
	Grade 10	11.6%	17.4%	30.2%	69.8%
	Grade 11	15.3%	21.3%	33.8%	66.2%
	Grade 12	11.6%	18.0%	34.2%	65.8%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.1%	8.3%	16.8%	83.2%
	Grade 8	1.6%	2.9%	7.1%	92.8%
	Grade 9	4.1%	6.7%	13.2%	86.8%
	Grade 10	5.8%	9.7%	19.6%	80.3%
	Grade 11	8.4%	12.6%	22.1%	77.9%
	Grade 12	5.9%	10.4%	23.8%	76.2%
Cocaine Or Crack	All	0.5%	0.7%	1.9%	98.1%
	Grade 8	0.6%	0.9%	2.5%	97.5%
	Grade 9	0.7%	0.8%	1.2%	98.8%
	Grade 10	0.3%	0.5%	1.8%	98.3%
	Grade 11	0.7%	1.1%	2.1%	97.9%
	Grade 12	0.3%	0.5%	2.3%	97.7%
Cocaine	All	0.4%	0.6%	1.6%	98.4%
	Grade 8	0.4%	0.6%	1.7%	98.3%
	Grade 9	0.6%	0.7%	1.1%	98.9%
	Grade 10	0.2%	0.3%	1.4%	98.6%
	Grade 11	0.7%	1.1%	1.9%	98.2%
	Grade 12	0.3%	0.5%	2.3%	97.6%
Crack	All	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.4%	0.5%	1.4%	98.6%
	Grade 9	0.2%	0.2%	0.2%	99.7%
	Grade 10	0.1%	0.2%	0.6%	99.4%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.6%	0.9%	1.9%	98.1%
	Grade 8	0.4%	0.4%	1.1%	98.9%
	Grade 9	0.7%	1.0%	1.6%	98.4%
	Grade 10	0.6%	1.0%	2.6%	97.5%
	Grade 11	1.0%	1.5%	2.5%	97.5%
	Grade 12	0.5%	1.1%	2.1%	97.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.6%	0.8%	1.1%	98.9%
	Grade 10	0.4%	0.6%	1.1%	99.0%
	Grade 11	0.5%	0.6%	1.1%	98.9%
	Grade 12	0.2%	0.2%	0.9%	99.1%
	Steroids	All	0.3%	0.3%	0.8%
Grade 8		0.4%	0.4%	1.3%	98.8%
Grade 9		0.1%	0.2%	0.9%	99.2%
Grade 10		0.2%	0.2%	0.5%	99.4%
Grade 11		0.5%	0.5%	0.7%	99.4%
Grade 12		0.2%	0.2%	0.8%	99.2%
Ecstasy		All	0.8%	1.3%	2.9%
	Grade 8	0.2%	0.4%	1.1%	98.9%
	Grade 9	0.8%	1.2%	2.3%	97.8%
	Grade 10	0.5%	1.2%	3.1%	96.9%
	Grade 11	1.9%	2.3%	4.6%	95.4%
	Grade 12	0.5%	1.4%	3.8%	96.2%
	Heroin	All	0.0%	0.0%	0.2%
Grade 8		0.0%	0.2%	0.4%	99.6%
Grade 9		0.1%	0.1%	0.3%	99.7%
Grade 10		0.1%	0.1%	0.4%	99.7%
Grade 11		0.0%	0.0%	0.1%	99.9%
Grade 12		0.0%	0.0%	0.1%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.7%	2.7%	6.5%	93.5%
Grade 8	1.4%	2.1%	4.1%	95.9%
Grade 9	2.1%	3.1%	5.8%	94.2%
Grade 10	2.2%	3.6%	8.3%	91.8%
Grade 11	1.3%	2.5%	7.5%	92.6%
Grade 12	1.4%	2.1%	7.0%	93.0%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.7%
Grade 10	0.4%	0.4%	0.7%	99.2%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.8%	0.9%	99.1%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.5%	16.3%	27.1%	72.9%
	Grade 8	4.0%	6.7%	12.6%	87.4%
	Grade 9	8.4%	13.1%	22.9%	77.1%
	Grade 10	12.1%	17.6%	30.0%	70.1%
	Grade 11	15.2%	20.8%	34.4%	65.6%
	Grade 12	20.3%	26.6%	39.9%	60.1%
Alcohol	All	23.0%	34.0%	54.3%	45.7%
	Grade 8	9.4%	17.1%	35.5%	64.4%
	Grade 9	19.3%	28.4%	48.9%	51.1%
	Grade 10	25.4%	37.7%	58.3%	41.7%
	Grade 11	29.8%	42.4%	65.3%	34.7%
	Grade 12	35.0%	49.4%	68.8%	31.2%
Inhalants	All	2.6%	4.1%	11.0%	88.9%
	Grade 8	2.3%	4.0%	11.6%	88.5%
	Grade 9	3.5%	4.8%	12.8%	87.2%
	Grade 10	4.0%	5.9%	13.1%	86.9%
	Grade 11	1.8%	3.1%	8.8%	91.2%
	Grade 12	1.4%	2.8%	8.6%	91.4%
Any Illicit Drug	All	9.0%	13.8%	23.3%	76.7%
	Grade 8	2.7%	4.2%	8.7%	91.3%
	Grade 9	7.4%	11.2%	17.4%	82.6%
	Grade 10	9.5%	15.0%	26.9%	73.2%
	Grade 11	13.5%	19.9%	31.6%	68.4%
	Grade 12	14.1%	21.8%	36.6%	63.4%
Marijuana	All	8.5%	13.3%	22.7%	77.3%
	Grade 8	2.4%	3.8%	8.0%	92.0%
	Grade 9	6.7%	10.6%	16.7%	83.2%
	Grade 10	9.0%	14.2%	26.1%	73.9%
	Grade 11	13.0%	19.2%	30.8%	69.2%
	Grade 12	13.4%	21.4%	36.3%	63.7%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.6%	6.3%	13.1%	86.8%
	Grade 8	1.3%	2.2%	5.5%	94.5%
	Grade 9	3.2%	5.1%	9.1%	90.9%
	Grade 10	3.7%	6.6%	15.3%	84.7%
	Grade 11	5.2%	9.6%	17.8%	82.3%
	Grade 12	5.4%	9.6%	21.0%	78.9%
Cocaine Or Crack	All	0.5%	0.7%	1.6%	98.4%
	Grade 8	0.3%	0.4%	0.5%	99.4%
	Grade 9	0.3%	0.5%	0.9%	99.2%
	Grade 10	0.2%	0.3%	1.4%	98.6%
	Grade 11	0.6%	1.2%	2.4%	97.6%
	Grade 12	0.9%	1.0%	3.0%	96.9%
Cocaine	All	0.3%	0.5%	1.4%	98.6%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.3%	0.4%	0.8%	99.2%
	Grade 10	0.2%	0.3%	1.4%	98.6%
	Grade 11	0.6%	1.0%	2.1%	97.9%
	Grade 12	0.7%	0.8%	2.8%	97.2%
Crack	All	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.3%	0.3%	0.4%	99.5%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.3%	99.6%
	Grade 11	0.0%	0.2%	0.5%	99.5%
	Grade 12	0.3%	0.3%	0.5%	99.6%
Hallucinogens	All	0.8%	1.7%	3.6%	96.4%
	Grade 8	0.0%	0.2%	0.7%	99.3%
	Grade 9	0.7%	1.6%	3.1%	96.9%
	Grade 10	1.0%	1.9%	3.7%	96.3%
	Grade 11	1.3%	2.5%	5.7%	94.3%
	Grade 12	1.2%	2.7%	5.6%	94.4%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.5%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.4%	0.7%	99.4%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.4%	99.5%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids	All	0.4%	0.5%	1.1%	98.9%
	Grade 8	0.3%	0.3%	1.0%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.8%	0.8%	1.4%	98.5%
	Grade 12	0.4%	0.7%	1.2%	98.9%
Ecstasy	All	0.6%	1.3%	2.8%	97.2%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.7%	1.4%	2.7%	97.3%
	Grade 10	0.4%	1.5%	2.6%	97.5%
	Grade 11	1.2%	1.7%	4.2%	95.9%
	Grade 12	0.8%	1.9%	4.5%	95.4%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.1%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.4%	99.7%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.1%	0.1%	0.4%	99.6%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	2.3%	6.8%	93.2%
Grade 8	0.5%	0.7%	2.0%	98.1%
Grade 9	1.2%	2.5%	5.7%	94.3%
Grade 10	1.8%	3.7%	8.6%	91.4%
Grade 11	1.5%	2.8%	8.8%	91.2%
Grade 12	1.3%	1.9%	10.0%	89.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.4%	99.5%
Grade 11	0.2%	0.2%	0.9%	99.0%
Grade 12	0.3%	0.4%	0.7%	99.3%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.0%	7.1%	16.3%	83.6%
	Grade 8	1.4%	3.3%	9.6%	90.4%
	Grade 9	3.6%	5.0%	14.2%	85.9%
	Grade 10	4.6%	6.4%	15.1%	85.0%
	Grade 11	7.7%	12.0%	22.0%	77.9%
	Grade 12	7.6%	9.2%	20.8%	79.1%
Alcohol	All	19.4%	28.2%	51.9%	48.1%
	Grade 8	9.2%	16.9%	39.1%	60.9%
	Grade 9	17.2%	24.1%	49.6%	50.4%
	Grade 10	20.1%	29.0%	56.2%	43.8%
	Grade 11	20.8%	32.9%	54.8%	45.1%
	Grade 12	28.0%	36.7%	57.3%	42.6%
Inhalants	All	2.6%	3.4%	9.3%	90.6%
	Grade 8	2.9%	5.9%	11.1%	88.8%
	Grade 9	3.9%	4.4%	12.2%	87.8%
	Grade 10	2.5%	2.7%	9.8%	90.1%
	Grade 11	2.3%	2.9%	6.9%	93.1%
	Grade 12	1.3%	1.6%	5.9%	94.0%
Any Illicit Drug	All	10.9%	16.2%	28.8%	71.2%
	Grade 8	2.3%	7.1%	11.9%	88.0%
	Grade 9	8.5%	12.0%	22.9%	77.1%
	Grade 10	10.2%	14.0%	28.3%	71.7%
	Grade 11	16.5%	24.1%	37.6%	62.4%
	Grade 12	16.5%	24.1%	42.2%	57.8%
Marijuana	All	10.0%	15.5%	28.3%	71.8%
	Grade 8	1.9%	6.0%	10.4%	89.6%
	Grade 9	7.6%	11.5%	22.5%	77.5%
	Grade 10	9.4%	13.5%	28.1%	71.9%
	Grade 11	14.6%	22.4%	36.7%	63.3%
	Grade 12	15.9%	23.9%	42.2%	57.8%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	6.4%	10.7%	21.5%	78.5%
	Grade 8	1.8%	4.8%	8.6%	91.5%
	Grade 9	5.5%	8.4%	17.4%	82.6%
	Grade 10	6.1%	9.1%	21.4%	78.6%
	Grade 11	10.3%	16.6%	27.5%	72.5%
	Grade 12	7.9%	14.5%	31.1%	68.8%
Cocaine Or Crack	All	0.4%	0.4%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.5%	0.5%	0.6%	99.4%
	Grade 10	0.1%	0.1%	1.1%	99.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.8%	0.8%	1.9%	98.1%
Cocaine	All	0.3%	0.3%	0.7%	99.2%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.4%	0.4%	0.5%	99.5%
	Grade 10	0.1%	0.1%	1.1%	99.0%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.8%	0.8%	1.9%	98.1%
Crack	All	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.5%	0.5%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.6%	0.7%	1.7%	98.2%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.3%	1.0%	99.0%
	Grade 10	0.6%	0.7%	1.9%	98.2%
	Grade 11	1.0%	1.6%	2.4%	97.6%
	Grade 12	1.4%	1.4%	3.5%	96.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.5%	0.6%	1.6%	98.3%
	Grade 8	0.9%	1.4%	2.9%	97.2%
	Grade 9	0.2%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.7%	2.2%	97.8%
	Grade 11	0.5%	0.7%	0.8%	99.2%
	Grade 12	0.4%	0.4%	1.8%	98.1%
Ecstasy	All	0.8%	0.9%	2.0%	98.0%
	Grade 8	0.1%	0.3%	0.3%	99.7%
	Grade 9	0.8%	0.8%	1.5%	98.5%
	Grade 10	1.0%	1.0%	2.1%	97.9%
	Grade 11	1.3%	1.5%	3.4%	96.6%
	Grade 12	0.6%	0.8%	2.6%	97.4%
Heroin	All	0.1%	0.2%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.5%	0.5%	99.5%
	Grade 12	0.3%	0.3%	0.3%	99.7%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	1.9%	4.7%	95.2%
Grade 8	0.5%	0.5%	2.4%	97.6%
Grade 9	0.5%	0.9%	3.2%	96.7%
Grade 10	1.1%	1.7%	4.7%	95.3%
Grade 11	1.4%	2.8%	6.3%	93.7%
Grade 12	3.0%	3.7%	7.0%	92.9%
Methamphetamine				
All	0.0%	0.5%	0.8%	99.2%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	2.0%	2.4%	97.6%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.0%	14.1%	26.8%	73.2%
	Grade 8	6.6%	9.0%	18.5%	81.5%
	Grade 9	6.5%	9.7%	22.4%	77.6%
	Grade 10	10.0%	14.4%	26.8%	73.2%
	Grade 11	13.5%	18.7%	34.3%	65.7%
	Grade 12	15.8%	21.5%	35.8%	64.2%
Alcohol	All	26.0%	35.6%	56.9%	43.0%
	Grade 8	16.7%	23.0%	45.0%	55.0%
	Grade 9	21.8%	30.3%	52.6%	47.4%
	Grade 10	27.8%	38.2%	60.1%	39.9%
	Grade 11	33.3%	44.5%	66.6%	33.5%
	Grade 12	34.1%	47.3%	64.6%	35.4%
Inhalants	All	4.5%	5.7%	13.3%	86.7%
	Grade 8	6.2%	8.2%	18.5%	81.5%
	Grade 9	4.4%	5.5%	13.4%	86.6%
	Grade 10	3.7%	4.5%	11.8%	88.2%
	Grade 11	4.4%	5.3%	11.7%	88.3%
	Grade 12	3.4%	4.5%	9.8%	90.1%
Any Illicit Drug	All	13.1%	17.8%	31.2%	68.8%
	Grade 8	7.7%	10.6%	19.6%	80.4%
	Grade 9	10.8%	15.3%	26.5%	73.5%
	Grade 10	13.6%	18.8%	33.0%	67.0%
	Grade 11	18.5%	23.6%	40.3%	59.7%
	Grade 12	16.9%	23.7%	41.3%	58.7%
Marijuana	All	12.0%	16.7%	30.1%	69.9%
	Grade 8	6.7%	9.6%	17.9%	82.0%
	Grade 9	9.7%	14.1%	25.6%	74.4%
	Grade 10	12.5%	17.8%	31.9%	68.0%
	Grade 11	17.2%	22.3%	39.0%	61.0%
	Grade 12	16.0%	22.2%	40.2%	59.8%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.6%	8.3%	17.4%	82.5%
	Grade 8	2.4%	4.0%	9.4%	90.6%
	Grade 9	4.5%	7.3%	15.4%	84.7%
	Grade 10	6.3%	9.7%	19.6%	80.5%
	Grade 11	8.0%	10.4%	21.8%	78.3%
	Grade 12	8.0%	12.0%	24.0%	76.0%
Cocaine Or Crack	All	1.2%	1.7%	3.8%	96.2%
	Grade 8	0.8%	1.1%	3.2%	96.8%
	Grade 9	1.0%	1.2%	2.3%	97.6%
	Grade 10	0.7%	1.2%	3.5%	96.5%
	Grade 11	1.9%	2.8%	5.1%	94.8%
	Grade 12	1.6%	2.4%	5.6%	94.4%
Cocaine	All	1.1%	1.6%	3.5%	96.5%
	Grade 8	0.6%	0.8%	2.4%	97.6%
	Grade 9	0.9%	1.2%	2.3%	97.8%
	Grade 10	0.6%	1.0%	3.0%	97.0%
	Grade 11	1.9%	2.8%	5.1%	94.9%
	Grade 12	1.6%	2.4%	5.6%	94.5%
Crack	All	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.4%	0.6%	1.5%	98.5%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.4%	1.1%	99.0%
	Grade 11	0.2%	0.2%	0.7%	99.3%
	Grade 12	0.1%	0.1%	0.3%	99.8%
Hallucinogens	All	1.0%	1.5%	2.8%	97.2%
	Grade 8	0.8%	0.9%	1.7%	98.3%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	0.8%	1.1%	2.7%	97.3%
	Grade 11	1.5%	2.2%	4.0%	95.9%
	Grade 12	1.3%	2.3%	4.3%	95.7%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	1.5%	98.5%
	Grade 8	0.4%	0.5%	1.3%	98.6%
	Grade 9	0.7%	0.9%	1.4%	98.6%
	Grade 10	0.8%	1.1%	1.6%	98.4%
	Grade 11	0.6%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.5%	1.4%	98.7%
	Steroids	All	0.3%	0.4%	0.9%
Grade 8		0.3%	0.3%	0.9%	99.1%
Grade 9		0.1%	0.2%	0.8%	99.2%
Grade 10		0.6%	0.6%	0.9%	99.1%
Grade 11		0.3%	0.4%	0.9%	99.1%
Grade 12		0.4%	0.6%	1.0%	99.0%
Ecstasy		All	1.1%	1.6%	3.7%
	Grade 8	0.6%	0.8%	2.2%	97.8%
	Grade 9	0.7%	1.3%	2.5%	97.5%
	Grade 10	1.0%	1.5%	3.6%	96.4%
	Grade 11	2.0%	2.4%	5.3%	94.7%
	Grade 12	1.6%	2.7%	6.0%	94.0%
	Heroin	All	0.1%	0.1%	0.3%
Grade 8		0.2%	0.3%	0.5%	99.5%
Grade 9		0.1%	0.1%	0.3%	99.7%
Grade 10		0.2%	0.3%	0.5%	99.5%
Grade 11		0.0%	0.0%	0.1%	99.9%
Grade 12		0.4%	0.4%	0.6%	99.4%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.7%	4.0%	8.8%	91.3%
Grade 8	2.4%	3.3%	6.3%	93.7%
Grade 9	3.2%	4.6%	8.1%	91.8%
Grade 10	3.0%	4.4%	9.3%	90.8%
Grade 11	2.2%	3.5%	10.8%	89.1%
Grade 12	2.4%	3.8%	9.6%	90.3%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.6%	99.3%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.3%	7.6%	16.3%	83.7%
	Grade 8	2.0%	2.6%	7.1%	92.9%
	Grade 9	3.2%	4.7%	12.4%	87.6%
	Grade 10	4.7%	8.0%	16.5%	83.5%
	Grade 11	8.3%	11.4%	22.9%	77.1%
	Grade 12	9.3%	12.7%	25.2%	74.8%
Alcohol	All	16.8%	26.6%	46.1%	53.9%
	Grade 8	7.1%	13.6%	30.1%	69.9%
	Grade 9	15.2%	22.6%	42.9%	57.0%
	Grade 10	18.3%	29.5%	49.8%	50.2%
	Grade 11	20.7%	32.3%	53.8%	46.1%
	Grade 12	25.1%	38.2%	58.0%	42.1%
Inhalants	All	2.0%	2.9%	8.1%	91.9%
	Grade 8	2.2%	3.2%	9.8%	90.2%
	Grade 9	1.7%	2.5%	8.0%	92.0%
	Grade 10	2.1%	3.1%	9.4%	90.6%
	Grade 11	2.1%	2.9%	6.7%	93.2%
	Grade 12	1.6%	2.4%	5.9%	94.1%
Any Illicit Drug	All	6.1%	9.2%	17.1%	82.9%
	Grade 8	1.5%	2.7%	5.4%	94.7%
	Grade 9	4.0%	6.7%	10.9%	89.1%
	Grade 10	5.9%	9.2%	19.6%	80.5%
	Grade 11	9.3%	12.7%	23.4%	76.7%
	Grade 12	11.2%	16.4%	29.2%	70.8%
Marijuana	All	5.6%	8.7%	16.3%	83.7%
	Grade 8	1.2%	2.3%	4.7%	95.3%
	Grade 9	3.6%	6.3%	10.0%	90.0%
	Grade 10	5.4%	8.9%	18.8%	81.3%
	Grade 11	7.8%	11.3%	22.0%	78.0%
	Grade 12	11.2%	16.3%	29.1%	71.0%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	2.9%	5.0%	10.9%	89.1%
	Grade 8	0.7%	1.5%	3.6%	96.4%
	Grade 9	2.5%	4.3%	7.4%	92.6%
	Grade 10	2.4%	4.5%	12.0%	88.1%
	Grade 11	3.9%	6.2%	13.9%	86.1%
	Grade 12	5.6%	9.2%	19.5%	80.4%
Cocaine Or Crack	All	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.4%	0.6%	0.8%	99.2%
	Grade 10	0.1%	0.2%	1.0%	98.9%
	Grade 11	0.3%	0.8%	1.2%	98.8%
	Grade 12	0.4%	0.7%	1.8%	98.2%
Cocaine	All	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.3%	0.4%	0.6%	99.3%
	Grade 10	0.1%	0.2%	0.7%	99.3%
	Grade 11	0.2%	0.7%	0.8%	99.2%
	Grade 12	0.3%	0.6%	1.7%	98.3%
Crack	All	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens	All	0.6%	1.1%	1.8%	98.3%
	Grade 8	0.3%	0.3%	0.5%	99.5%
	Grade 9	0.2%	0.3%	0.6%	99.4%
	Grade 10	0.6%	1.3%	2.4%	97.6%
	Grade 11	1.2%	1.9%	2.9%	97.1%
	Grade 12	0.8%	1.7%	2.6%	97.4%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.4%	99.6%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.8%	99.2%
	Steroids	All	0.3%	0.4%	0.8%
Grade 8		0.3%	0.3%	0.7%	99.3%
Grade 9		0.1%	0.2%	0.5%	99.5%
Grade 10		0.2%	0.2%	0.4%	99.6%
Grade 11		0.9%	0.9%	1.4%	98.6%
Grade 12		0.2%	0.5%	0.9%	99.1%
Ecstasy		All	0.4%	0.7%	1.4%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	0.2%	0.5%	0.8%	99.2%
	Grade 10	0.3%	0.8%	1.5%	98.4%
	Grade 11	1.1%	1.4%	2.9%	97.2%
	Grade 12	0.4%	1.1%	2.2%	97.9%
	Heroin	All	0.0%	0.1%	0.1%
Grade 8		0.0%	0.0%	0.2%	99.8%
Grade 9		0.0%	0.0%	0.0%	100.0%
Grade 10		0.1%	0.2%	0.2%	99.7%
Grade 11		0.0%	0.2%	0.2%	99.7%
Grade 12		0.0%	0.0%	0.0%	99.9%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.7%	1.2%	3.5%	96.6%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.5%	1.5%	98.4%
Grade 10	0.8%	1.5%	4.6%	95.4%
Grade 11	0.6%	1.1%	4.4%	95.7%
Grade 12	1.4%	2.2%	6.2%	93.9%
Methamphetamine				
All	0.1%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.1%	1.0%	1.2%	98.8%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.2%	15.7%	28.2%	71.9%
	Grade 8	6.7%	10.0%	19.2%	80.8%
	Grade 9	7.3%	11.1%	22.8%	77.2%
	Grade 10	11.3%	16.1%	28.9%	71.0%
	Grade 11	14.1%	19.4%	34.9%	65.2%
	Grade 12	19.8%	25.2%	38.9%	61.1%
Alcohol	All	26.2%	35.7%	57.6%	42.4%
	Grade 8	17.5%	23.3%	45.3%	54.6%
	Grade 9	20.6%	29.0%	51.7%	48.4%
	Grade 10	28.2%	38.6%	60.8%	39.2%
	Grade 11	32.8%	43.5%	66.7%	33.3%
	Grade 12	35.9%	49.1%	67.5%	32.5%
Inhalants	All	4.1%	5.6%	13.4%	86.6%
	Grade 8	5.7%	8.2%	17.1%	82.8%
	Grade 9	4.4%	5.7%	14.1%	85.9%
	Grade 10	3.9%	5.0%	13.0%	87.0%
	Grade 11	3.1%	4.2%	10.8%	89.3%
	Grade 12	2.6%	4.0%	10.8%	89.2%
Any Illicit Drug	All	13.2%	18.5%	31.7%	68.3%
	Grade 8	7.3%	10.7%	19.2%	80.8%
	Grade 9	10.5%	14.6%	25.0%	74.9%
	Grade 10	13.8%	19.5%	33.5%	66.5%
	Grade 11	18.0%	24.4%	40.6%	59.4%
	Grade 12	18.5%	26.1%	45.1%	54.9%
Marijuana	All	12.2%	17.5%	30.7%	69.2%
	Grade 8	6.3%	9.5%	17.6%	82.4%
	Grade 9	9.4%	13.7%	24.3%	75.7%
	Grade 10	12.8%	18.6%	32.7%	67.3%
	Grade 11	16.9%	23.3%	39.5%	60.4%
	Grade 12	17.9%	25.6%	44.8%	55.3%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.8%	9.0%	18.4%	81.6%
	Grade 8	2.4%	4.2%	9.7%	90.3%
	Grade 9	4.5%	6.9%	14.3%	85.7%
	Grade 10	6.5%	10.1%	20.4%	79.7%
	Grade 11	8.4%	12.4%	23.6%	76.3%
	Grade 12	8.3%	13.2%	27.2%	72.8%
Cocaine Or Crack	All	1.0%	1.3%	3.1%	96.9%
	Grade 8	0.8%	1.1%	2.9%	97.1%
	Grade 9	0.7%	0.8%	1.8%	98.1%
	Grade 10	0.6%	1.0%	2.9%	97.1%
	Grade 11	1.5%	2.0%	4.1%	95.9%
	Grade 12	1.4%	1.8%	4.6%	95.3%
Cocaine	All	0.9%	1.2%	2.9%	97.1%
	Grade 8	0.5%	0.7%	2.2%	97.9%
	Grade 9	0.7%	0.8%	1.8%	98.2%
	Grade 10	0.5%	0.8%	2.6%	97.4%
	Grade 11	1.5%	2.0%	4.0%	96.0%
	Grade 12	1.3%	1.7%	4.5%	95.5%
Crack	All	0.2%	0.3%	0.7%	99.2%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.2%	0.2%	0.3%	99.7%
	Grade 10	0.2%	0.3%	0.8%	99.1%
	Grade 11	0.1%	0.1%	0.6%	99.3%
	Grade 12	0.1%	0.1%	0.3%	99.6%
Hallucinogens	All	1.0%	1.6%	3.4%	96.5%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.7%	1.4%	2.6%	97.5%
	Grade 10	0.9%	1.3%	3.0%	96.9%
	Grade 11	1.7%	2.5%	5.1%	94.9%
	Grade 12	1.6%	2.7%	6.1%	93.9%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.6%	0.9%	1.4%	98.6%
	Grade 10	0.8%	1.1%	1.5%	98.6%
	Grade 11	0.4%	0.4%	1.0%	99.0%
	Grade 12	0.3%	0.3%	0.9%	99.1%
	Steroids	All	0.4%	0.5%	1.2%
Grade 8		0.4%	0.5%	1.5%	98.5%
Grade 9		0.1%	0.2%	0.8%	99.2%
Grade 10		0.7%	0.8%	1.5%	98.5%
Grade 11		0.4%	0.5%	1.0%	99.1%
Grade 12		0.6%	0.7%	1.5%	98.6%
Ecstasy		All	1.0%	1.5%	3.7%
	Grade 8	0.7%	0.9%	2.0%	98.0%
	Grade 9	1.1%	1.7%	2.8%	97.2%
	Grade 10	0.9%	1.4%	3.5%	96.5%
	Grade 11	1.3%	1.8%	5.0%	95.0%
	Grade 12	1.2%	2.2%	6.2%	93.8%
	Heroin	All	0.2%	0.2%	0.4%
Grade 8		0.1%	0.2%	0.4%	99.5%
Grade 9		0.1%	0.1%	0.4%	99.6%
Grade 10		0.1%	0.1%	0.4%	99.5%
Grade 11		0.1%	0.1%	0.2%	99.8%
Grade 12		0.5%	0.5%	0.8%	99.2%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.6%	3.8%	8.9%	91.1%
Grade 8	2.3%	2.9%	6.1%	93.9%
Grade 9	2.8%	4.0%	7.9%	92.2%
Grade 10	2.8%	4.5%	9.9%	90.1%
Grade 11	2.4%	3.9%	10.8%	89.2%
Grade 12	2.6%	3.6%	10.8%	89.2%
Methamphetamine				
All	0.2%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.2%	0.3%	0.6%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.6%	99.3%
Grade 12	0.4%	0.4%	0.8%	99.1%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	11.1%	20.5%	79.5%
	Grade 8	3.4%	5.3%	11.3%	88.6%
	Grade 9	5.3%	7.5%	16.0%	83.9%
	Grade 10	7.3%	10.5%	20.8%	79.2%
	Grade 11	11.3%	16.5%	28.2%	71.7%
	Grade 12	13.7%	18.5%	29.9%	70.1%
Alcohol	All	20.5%	29.9%	49.7%	50.3%
	Grade 8	10.8%	16.7%	35.9%	64.1%
	Grade 9	15.9%	23.7%	44.2%	55.8%
	Grade 10	22.3%	32.1%	52.8%	47.1%
	Grade 11	28.1%	39.2%	60.4%	39.6%
	Grade 12	29.5%	43.3%	60.6%	39.5%
Inhalants	All	3.3%	4.5%	10.5%	89.5%
	Grade 8	3.9%	5.8%	13.3%	86.7%
	Grade 9	3.6%	4.8%	11.1%	88.9%
	Grade 10	3.1%	4.2%	10.9%	89.1%
	Grade 11	3.2%	4.0%	9.3%	90.7%
	Grade 12	2.1%	3.0%	6.7%	93.3%
Any Illicit Drug	All	8.7%	12.5%	21.7%	78.3%
	Grade 8	3.7%	5.4%	10.1%	89.9%
	Grade 9	6.5%	9.0%	16.3%	83.7%
	Grade 10	9.2%	13.0%	23.6%	76.4%
	Grade 11	13.1%	18.8%	31.4%	68.7%
	Grade 12	13.1%	19.2%	31.9%	68.2%
Marijuana	All	8.0%	11.7%	20.9%	79.1%
	Grade 8	2.9%	4.5%	8.8%	91.2%
	Grade 9	5.7%	8.3%	15.6%	84.4%
	Grade 10	8.7%	12.4%	22.9%	77.0%
	Grade 11	12.2%	17.9%	30.6%	69.4%
	Grade 12	12.2%	18.3%	31.2%	68.8%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	4.0%	6.4%	13.1%	86.9%
	Grade 8	1.3%	2.1%	5.1%	95.0%
	Grade 9	2.9%	4.7%	9.8%	90.2%
	Grade 10	4.1%	6.6%	14.6%	85.4%
	Grade 11	6.0%	9.9%	18.8%	81.1%
	Grade 12	6.7%	10.6%	20.4%	79.7%
Cocaine Or Crack	All	0.7%	0.9%	2.0%	97.9%
	Grade 8	0.3%	0.6%	1.4%	98.6%
	Grade 9	0.7%	0.8%	1.5%	98.6%
	Grade 10	0.5%	0.7%	1.8%	98.2%
	Grade 11	1.5%	1.9%	3.3%	96.7%
	Grade 12	0.9%	1.2%	2.7%	97.2%
Cocaine	All	0.7%	0.9%	1.9%	98.1%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.6%	0.7%	1.3%	98.7%
	Grade 10	0.4%	0.6%	1.7%	98.3%
	Grade 11	1.5%	1.9%	3.3%	96.7%
	Grade 12	0.9%	1.2%	2.7%	97.3%
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.3%	99.8%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.4%	99.5%
	Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens	All	0.7%	1.2%	2.3%	97.8%
	Grade 8	0.4%	0.5%	0.9%	99.2%
	Grade 9	0.4%	0.7%	1.1%	98.9%
	Grade 10	0.6%	0.9%	2.3%	97.6%
	Grade 11	1.1%	1.9%	3.9%	96.1%
	Grade 12	1.0%	2.0%	3.3%	96.7%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.3%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.3%	0.3%	0.6%	99.3%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.2%	0.3%	0.9%	99.1%
	Grade 12	0.3%	0.4%	0.8%	99.2%
	Steroids	All	0.3%	0.4%	0.9%
Grade 8		0.3%	0.3%	1.0%	99.0%
Grade 9		0.2%	0.2%	0.8%	99.2%
Grade 10		0.3%	0.4%	0.9%	99.2%
Grade 11		0.7%	0.7%	1.0%	98.9%
Grade 12		0.3%	0.5%	1.0%	99.0%
Ecstasy		All	0.7%	1.0%	2.2%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.6%	0.9%	1.7%	98.3%
	Grade 10	0.5%	0.8%	1.9%	98.0%
	Grade 11	1.4%	1.7%	3.4%	96.6%
	Grade 12	0.8%	1.5%	3.2%	96.8%
	Heroin	All	0.1%	0.2%	0.3%
Grade 8		0.1%	0.2%	0.4%	99.7%
Grade 9		0.0%	0.0%	0.0%	99.9%
Grade 10		0.1%	0.1%	0.3%	99.8%
Grade 11		0.1%	0.2%	0.3%	99.7%
Grade 12		0.2%	0.2%	0.3%	99.6%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.1%	5.4%	94.6%
Grade 8	1.1%	1.5%	3.1%	96.9%
Grade 9	1.6%	2.1%	4.4%	95.6%
Grade 10	1.8%	2.7%	6.1%	93.8%
Grade 11	1.5%	2.3%	7.2%	92.7%
Grade 12	1.4%	2.0%	6.8%	93.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.7%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.6%	0.8%	99.2%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	12.8%	17.8%	32.4%	67.6%
	Grade 8	8.4%	11.8%	22.3%	77.7%
	Grade 9	8.8%	14.1%	29.0%	71.1%
	Grade 10	13.1%	18.8%	33.2%	66.7%
	Grade 11	15.9%	20.9%	38.1%	61.9%
	Grade 12	19.1%	24.7%	40.4%	59.6%
Alcohol	All	28.9%	39.6%	63.1%	36.9%
	Grade 8	17.8%	25.8%	49.1%	50.9%
	Grade 9	26.3%	35.4%	60.0%	40.0%
	Grade 10	30.5%	42.6%	67.0%	33.0%
	Grade 11	33.3%	45.5%	69.8%	30.2%
	Grade 12	37.7%	49.8%	70.1%	29.9%
Inhalants	All	4.0%	5.4%	14.3%	85.8%
	Grade 8	5.3%	7.4%	17.8%	82.3%
	Grade 9	4.6%	5.8%	16.0%	84.1%
	Grade 10	3.8%	4.8%	13.8%	86.2%
	Grade 11	3.1%	4.4%	11.2%	88.8%
	Grade 12	3.2%	4.6%	12.3%	87.7%
Any Illicit Drug	All	15.5%	21.8%	37.2%	62.8%
	Grade 8	8.4%	12.5%	22.9%	77.1%
	Grade 9	13.1%	19.5%	31.8%	68.2%
	Grade 10	15.2%	22.2%	39.2%	60.8%
	Grade 11	21.1%	27.1%	44.2%	55.7%
	Grade 12	20.2%	28.3%	49.2%	50.8%
Marijuana	All	14.5%	20.9%	36.3%	63.8%
	Grade 8	7.8%	11.9%	21.8%	78.3%
	Grade 9	11.9%	18.3%	31.0%	69.0%
	Grade 10	14.0%	21.4%	38.1%	61.9%
	Grade 11	19.7%	25.8%	43.0%	57.0%
	Grade 12	19.7%	27.6%	48.6%	51.4%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	6.6%	10.3%	21.3%	78.7%
	Grade 8	3.0%	5.7%	12.6%	87.3%
	Grade 9	5.9%	9.3%	18.4%	81.6%
	Grade 10	7.0%	11.2%	23.3%	76.6%
	Grade 11	8.9%	12.1%	24.2%	75.7%
	Grade 12	8.0%	13.0%	28.4%	71.6%
	Cocaine Or Crack	All	0.8%	1.3%	3.2%
Grade 8		0.8%	1.0%	2.5%	97.5%
Grade 9		0.6%	0.9%	1.6%	98.3%
Grade 10		0.4%	0.7%	2.9%	97.1%
Grade 11		1.0%	2.0%	3.9%	96.1%
Grade 12		1.5%	2.1%	5.4%	94.6%
Cocaine		All	0.7%	1.1%	2.8%
	Grade 8	0.3%	0.4%	1.8%	98.2%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.3%	0.5%	2.3%	97.7%
	Grade 11	0.9%	1.8%	3.5%	96.5%
	Grade 12	1.4%	2.0%	5.2%	94.7%
	Crack	All	0.2%	0.3%	0.8%
Grade 8		0.6%	0.7%	1.2%	98.8%
Grade 9		0.1%	0.1%	0.2%	99.7%
Grade 10		0.1%	0.2%	1.2%	98.8%
Grade 11		0.1%	0.3%	0.8%	99.3%
Grade 12		0.1%	0.1%	0.3%	99.7%
Hallucinogens		All	1.3%	2.0%	4.3%
	Grade 8	0.4%	0.6%	1.7%	98.3%
	Grade 9	1.2%	2.1%	4.0%	96.0%
	Grade 10	1.0%	1.6%	3.7%	96.2%
	Grade 11	2.2%	3.1%	5.6%	94.4%
	Grade 12	1.9%	2.9%	7.0%	93.0%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.3%	0.3%	1.2%	98.7%
	Grade 9	0.6%	1.1%	1.7%	98.3%
	Grade 10	0.5%	0.6%	1.1%	98.9%
	Grade 11	0.7%	0.7%	1.1%	98.9%
	Grade 12	0.3%	0.4%	1.3%	98.7%
	Steroids	All	0.5%	0.6%	1.3%
Grade 8		0.5%	0.7%	1.5%	98.5%
Grade 9		0.1%	0.2%	0.9%	99.1%
Grade 10		0.8%	0.8%	1.5%	98.6%
Grade 11		0.4%	0.5%	1.2%	98.8%
Grade 12		0.6%	0.8%	1.4%	98.6%
Ecstasy		All	1.3%	2.1%	4.8%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	0.9%	1.8%	3.6%	96.3%
	Grade 10	1.1%	2.2%	4.6%	95.5%
	Grade 11	1.9%	2.4%	6.3%	93.7%
	Grade 12	1.6%	2.8%	7.4%	92.6%
	Heroin	All	0.1%	0.1%	0.4%
Grade 8		0.1%	0.2%	0.4%	99.6%
Grade 9		0.1%	0.1%	0.6%	99.4%
Grade 10		0.1%	0.2%	0.5%	99.5%
Grade 11		0.0%	0.0%	0.1%	99.8%
Grade 12		0.3%	0.3%	0.7%	99.4%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.7%	4.5%	10.6%	89.4%
Grade 8	2.5%	3.4%	6.7%	93.3%
Grade 9	2.7%	4.9%	9.4%	90.6%
Grade 10	2.7%	4.8%	11.6%	88.4%
Grade 11	2.3%	4.4%	12.2%	87.8%
Grade 12	3.2%	4.9%	13.1%	86.9%
Methamphetamine				
All	0.3%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.1%	99.0%
Grade 11	0.4%	0.5%	1.1%	99.0%
Grade 12	0.4%	0.6%	1.1%	98.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.4%	11.8%	22.6%	77.4%
	Grade 8	4.2%	6.1%	12.7%	87.3%
	Grade 9	6.0%	8.4%	18.5%	81.6%
	Grade 10	7.8%	11.6%	23.4%	76.6%
	Grade 11	12.2%	16.6%	29.7%	70.3%
	Grade 12	13.8%	18.9%	32.3%	67.7%
Alcohol	All	22.0%	31.4%	53.3%	46.8%
	Grade 8	11.3%	17.0%	37.8%	62.2%
	Grade 9	17.9%	25.5%	48.5%	51.6%
	Grade 10	23.9%	34.1%	56.7%	43.3%
	Grade 11	28.2%	39.6%	62.9%	37.0%
	Grade 12	31.9%	45.4%	64.8%	35.2%
Inhalants	All	2.9%	4.0%	10.7%	89.3%
	Grade 8	3.5%	5.0%	12.6%	87.3%
	Grade 9	3.4%	4.4%	11.8%	88.2%
	Grade 10	2.8%	3.7%	10.8%	89.2%
	Grade 11	2.4%	3.4%	9.3%	90.7%
	Grade 12	2.2%	2.9%	7.7%	92.2%
Any Illicit Drug	All	9.5%	13.9%	24.8%	75.2%
	Grade 8	4.1%	6.1%	12.0%	88.0%
	Grade 9	7.5%	11.2%	19.6%	80.4%
	Grade 10	9.8%	14.0%	26.7%	73.2%
	Grade 11	14.0%	19.5%	33.5%	66.5%
	Grade 12	14.0%	21.1%	36.3%	63.7%
Marijuana	All	8.9%	13.2%	24.0%	76.0%
	Grade 8	3.6%	5.5%	11.0%	89.1%
	Grade 9	6.7%	10.4%	18.8%	81.2%
	Grade 10	9.3%	13.4%	25.9%	74.0%
	Grade 11	13.0%	18.5%	32.4%	67.5%
	Grade 12	13.5%	20.6%	35.9%	64.1%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.4%	7.1%	15.1%	84.9%
Grade 8	1.6%	2.6%	6.5%	93.6%
Grade 9	3.5%	5.7%	12.1%	87.9%
Grade 10	4.9%	7.7%	17.3%	82.7%
Grade 11	6.3%	9.8%	19.7%	80.4%
Grade 12	6.5%	11.2%	22.8%	77.2%
Cocaine Or Crack				
All	0.6%	0.9%	2.0%	98.0%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.5%	98.4%
Grade 11	1.0%	1.5%	3.0%	97.0%
Grade 12	0.9%	1.2%	3.3%	96.7%
Cocaine				
All	0.5%	0.7%	1.7%	98.2%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.5%	0.7%	1.1%	99.0%
Grade 10	0.3%	0.5%	1.5%	98.6%
Grade 11	1.0%	1.5%	2.9%	97.2%
Grade 12	0.9%	1.2%	3.3%	96.6%
Crack				
All	0.1%	0.1%	0.3%	99.6%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.7%	1.2%	2.5%	97.6%
Grade 8	0.2%	0.3%	0.8%	99.3%
Grade 9	0.4%	0.9%	1.7%	98.4%
Grade 10	0.5%	0.9%	2.2%	97.8%
Grade 11	1.3%	2.0%	3.9%	96.0%
Grade 12	1.1%	2.0%	4.1%	95.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.4%	0.7%	99.2%
	Grade 10	0.3%	0.4%	0.7%	99.2%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.2%	0.3%	0.9%	99.1%
Steroids	All	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.5%	0.6%	1.0%	99.1%
	Grade 12	0.4%	0.5%	1.1%	98.9%
Ecstasy	All	0.7%	1.1%	2.6%	97.4%
	Grade 8	0.2%	0.3%	1.0%	98.9%
	Grade 9	0.7%	1.2%	2.1%	97.9%
	Grade 10	0.5%	1.0%	2.5%	97.6%
	Grade 11	1.2%	1.4%	3.5%	96.5%
	Grade 12	0.9%	1.8%	4.5%	95.6%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.1%	99.8%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.2%	0.3%	99.7%
	Grade 12	0.2%	0.2%	0.4%	99.6%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.4%	6.4%	93.6%
Grade 8	1.0%	1.5%	3.4%	96.6%
Grade 9	1.5%	2.5%	5.2%	94.7%
Grade 10	1.6%	2.5%	6.7%	93.3%
Grade 11	1.5%	2.8%	8.7%	91.3%
Grade 12	1.9%	2.7%	8.7%	91.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.6%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.6%	0.9%	99.1%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.7%	20.7%	35.2%	64.8%
	Grade 8	10.1%	14.3%	27.0%	73.0%
	Grade 9	9.2%	16.8%	32.3%	67.7%
	Grade 10	17.3%	22.9%	36.2%	63.8%
	Grade 11	16.6%	23.2%	41.8%	58.1%
	Grade 12	21.5%	27.0%	39.2%	60.8%
Alcohol	All	30.9%	43.4%	61.9%	38.1%
	Grade 8	21.5%	33.1%	51.9%	48.2%
	Grade 9	28.3%	40.3%	58.0%	42.0%
	Grade 10	32.7%	47.4%	67.5%	32.5%
	Grade 11	37.6%	50.1%	69.8%	30.2%
	Grade 12	34.7%	46.6%	62.7%	37.3%
Inhalants	All	6.4%	8.6%	17.9%	82.1%
	Grade 8	8.3%	12.2%	25.9%	74.1%
	Grade 9	6.5%	8.2%	18.6%	81.4%
	Grade 10	6.6%	8.1%	17.2%	82.8%
	Grade 11	6.9%	8.0%	13.9%	86.1%
	Grade 12	3.6%	6.5%	13.9%	86.2%
Any Illicit Drug	All	19.0%	25.2%	39.3%	60.7%
	Grade 8	10.7%	15.6%	24.8%	75.3%
	Grade 9	17.1%	21.6%	34.8%	65.2%
	Grade 10	19.3%	27.0%	41.5%	58.4%
	Grade 11	25.4%	32.4%	47.9%	52.1%
	Grade 12	22.6%	29.6%	48.2%	51.7%
Marijuana	All	17.4%	24.0%	38.3%	61.7%
	Grade 8	9.6%	14.6%	23.2%	76.7%
	Grade 9	14.9%	20.2%	34.0%	66.0%
	Grade 10	16.9%	25.8%	40.2%	59.8%
	Grade 11	24.4%	31.5%	47.4%	52.7%
	Grade 12	21.1%	28.1%	47.0%	53.0%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	7.9%	11.4%	21.0%	79.0%
Grade 8	3.3%	7.0%	13.2%	86.9%
Grade 9	7.0%	9.6%	17.5%	82.5%
Grade 10	7.2%	10.9%	21.1%	78.9%
Grade 11	11.3%	15.3%	25.9%	74.2%
Grade 12	10.6%	14.5%	27.8%	72.3%
Cocaine Or Crack				
All	1.4%	2.0%	4.7%	95.3%
Grade 8	1.0%	1.4%	4.3%	95.7%
Grade 9	1.0%	1.2%	3.3%	96.7%
Grade 10	0.9%	1.3%	4.3%	95.7%
Grade 11	2.3%	3.8%	6.0%	94.1%
Grade 12	2.0%	2.7%	6.2%	93.9%
Cocaine				
All	1.2%	1.7%	4.1%	95.8%
Grade 8	0.6%	0.7%	3.3%	96.7%
Grade 9	0.9%	1.1%	3.1%	96.9%
Grade 10	0.8%	1.2%	3.6%	96.4%
Grade 11	2.3%	3.4%	5.4%	94.6%
Grade 12	1.7%	2.4%	5.7%	94.3%
Crack				
All	0.3%	0.4%	1.1%	98.9%
Grade 8	0.7%	1.0%	2.3%	97.6%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.2%	98.8%
Grade 11	0.1%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens				
All	1.8%	2.9%	5.7%	94.3%
Grade 8	0.8%	1.3%	2.8%	97.2%
Grade 9	2.2%	3.2%	5.3%	94.6%
Grade 10	1.5%	2.3%	5.6%	94.4%
Grade 11	2.4%	3.9%	7.0%	92.9%
Grade 12	2.2%	3.6%	7.4%	92.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.9%	1.1%	1.7%	98.4%
	Grade 8	0.5%	0.5%	1.0%	99.1%
	Grade 9	1.5%	1.8%	2.8%	97.2%
	Grade 10	1.3%	1.4%	1.8%	98.2%
	Grade 11	0.5%	0.6%	1.0%	99.0%
	Grade 12	0.3%	0.6%	1.2%	98.8%
	Steroids	All	0.7%	0.8%	1.6%
Grade 8		0.9%	0.9%	2.0%	97.9%
Grade 9		0.3%	0.3%	1.0%	98.9%
Grade 10		0.7%	0.9%	1.4%	98.6%
Grade 11		1.2%	1.2%	2.1%	97.9%
Grade 12		0.4%	0.8%	1.4%	98.5%
Ecstasy		All	1.7%	2.6%	5.5%
	Grade 8	1.4%	1.7%	3.3%	96.8%
	Grade 9	1.1%	2.1%	4.8%	95.2%
	Grade 10	1.5%	3.0%	5.3%	94.8%
	Grade 11	3.3%	4.0%	8.6%	91.3%
	Grade 12	1.1%	2.4%	5.7%	94.4%
	Heroin	All	0.3%	0.4%	0.7%
Grade 8		0.1%	0.5%	0.6%	99.3%
Grade 9		0.1%	0.1%	1.0%	99.0%
Grade 10		0.4%	0.4%	0.5%	99.5%
Grade 11		0.1%	0.1%	0.1%	99.9%
Grade 12		0.6%	0.6%	0.7%	99.3%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.9%	5.7%	12.0%	88.0%
Grade 8	4.6%	5.1%	8.0%	92.1%
Grade 9	4.7%	6.5%	12.2%	87.7%
Grade 10	4.6%	8.0%	15.4%	84.6%
Grade 11	2.9%	4.6%	12.9%	87.1%
Grade 12	2.4%	4.0%	11.4%	88.6%
Methamphetamine				
All	0.5%	0.6%	1.2%	98.8%
Grade 8	0.0%	0.2%	1.0%	98.9%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.8%	0.9%	1.5%	98.5%
Grade 11	0.9%	1.0%	1.3%	98.8%
Grade 12	0.5%	0.6%	1.1%	98.9%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	823,511	49.9%
Female	826,465	50.1%
Frequency Missing = 13216		

GRADE		
q2	Frequency	Percent
Grade 6	0	0.0%
Grade 7	0	0.0%
Grade 8	350,348	21.1%
Grade 9	376,862	22.7%
Grade 10	338,587	20.4%
Grade 11	313,223	18.8%
Grade 12	284,172	17.1%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
Do not know	0	0.0%
No	631,924	38.2%
Yes	1,020,460	61.8%
Frequency Missing = 10808		

AGE		
q4	Frequency	Percent
10 or below	920	0.1%
11	331	0.0%
12	931	0.1%
13	137,331	8.3%
14	313,174	18.9%
15	361,904	21.8%
16	334,020	20.1%
17	308,971	18.6%
18	177,350	10.7%
19 or older	22,991	1.4%
Frequency Missing = 5268		

ETHNICITY		
q5	Frequency	Percent
African Am.	217,630	13.4%
Asian Am.	57,350	3.5%
Mexican Am.	768,094	47.4%
Native Am.	6,923	0.4%
Other	29,870	1.8%
White	541,166	33.4%
Frequency Missing = 42159		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	472,567	33.0%
Mostly B's	737,446	51.5%
Mostly C's	195,081	13.6%
Mostly D's	19,638	1.4%
Mostly F's	8,081	0.6%
Frequency Missing = 230378		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	1,155,329	80.1%
Yes	286,653	19.9%
Frequency Missing = 221209		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	267,425	18.7%
No	561,619	39.2%
Yes	603,582	42.1%
Frequency Missing = 230565		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	691,209	50.6%
Yes	674,160	49.4%
Frequency Missing = 297823		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	1,062,320	83.2%
Yes	214,261	16.8%
Frequency Missing = 386612		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	1,136,787	91.2%
Yes	109,950	8.8%
Frequency Missing = 416454		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	851,101	65.9%
Yes	440,622	34.1%
Frequency Missing = 371469		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	1,145,153	91.6%
Yes	105,392	8.4%
Frequency Missing = 412647		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	942,318	74.3%
Yes	325,555	25.7%
Frequency Missing = 395319		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	1,153,595	92.5%
Yes	93,927	7.5%
Frequency Missing = 415670		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	1,395,117	84.6%
Somewhat Safe	221,399	13.4%
Not Very Safe	14,822	0.9%
Not Safe At All	4,029	0.2%
Don't Know	13,778	0.8%
Frequency Missing = 14046		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	921,681	72.2%
Yes	354,453	27.8%
Frequency Missing = 387058		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	699,854	42.6%
Somewhat Safe	764,942	46.6%
Not Very Safe	112,843	6.9%
Not Safe At All	25,503	1.6%
Don't Know	37,800	2.3%
Frequency Missing = 22250		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	893,329	70.3%
Yes	377,753	29.7%
Frequency Missing = 392111		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	675,667	41.2%
Somewhat Safe	732,360	44.6%
Not Very Safe	123,115	7.5%
Not Safe At All	54,359	3.3%
Don't Know	55,297	3.4%
Frequency Missing = 22393		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	79,501	4.8%
A Few	390,450	23.8%
Some	432,116	26.3%
Most	579,879	35.4%
All	158,307	9.7%
Frequency Missing = 22940		

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	990,261	60.4%
A Few	423,855	25.9%
Some	136,636	8.3%
Most	52,654	3.2%
All	35,016	2.1%
Frequency Missing = 24771		

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	1,075,229	66.3%
A Few	329,002	20.3%
Some	136,853	8.4%
Most	61,201	3.8%
All	19,523	1.2%
Frequency Missing = 41384		

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	802,840	64.5%
Yes	441,931	35.5%
Frequency Missing = 418421		

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	35,607	2.2%
A Few	192,966	11.9%
Some	347,188	21.5%
Most	713,219	44.2%
All	325,867	20.2%
Frequency Missing = 48344		

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	1,599,918	97.3%
Heard/Used		
In Your Life-time	31,254	1.9%
Since School Began	3,667	0.2%
In the Past Month	8,856	0.5%
Frequency Missing = 19497		

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	1,332,820	81.4%
A Few	196,015	12.0%
Some	68,803	4.2%
Most	25,063	1.5%
All	13,904	0.8%
Frequency Missing = 26587		

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	1,542,956	94.1%
Heard/Used		
In Your Life-time	65,612	4.0%
Since School Began	9,873	0.6%
In the Past Month	21,195	1.3%
Frequency Missing = 23556		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
q13c	Frequency	Percent
Never	1,607,541	98.4%
Heard/Used		
In Your Life-time	16,557	1.0%
Since School Began	3,241	0.2%
In the Past Month	5,653	0.3%

Frequency Missing = 30200

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
q13f	Frequency	Percent
Never	1,615,972	98.8%
Heard/Used		
In Your Life-time	10,625	0.6%
Since School Began	2,333	0.1%
In the Past Month	6,263	0.4%

Frequency Missing = 27999

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
q13d	Frequency	Percent
Never	1,537,033	93.8%
Heard/Used		
In Your Life-time	61,282	3.7%
Since School Began	12,637	0.8%
In the Past Month	27,216	1.7%

Frequency Missing = 25024

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
q13g	Frequency	Percent
Never	1,603,170	97.9%
Heard/Used		
In Your Life-time	19,091	1.2%
Since School Began	3,976	0.2%
In the Past Month	11,111	0.7%

Frequency Missing = 25843

RECENT INHALANT USE - GLUE		
q13e	Frequency	Percent
Never	1,617,826	99.0%
Heard/Used		
In Your Life-time	11,063	0.7%
Since School Began	1,745	0.1%
In the Past Month	3,515	0.2%

Frequency Missing = 29042

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
q13h	Frequency	Percent
Never	1,608,307	98.1%
Heard/Used		
In Your Life-time	18,182	1.1%
Since School Began	3,994	0.2%
In the Past Month	9,141	0.6%

Frequency Missing = 23568

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	1,270,311	77.7%
Heard/Used		
In Your Life-time	181,330	11.1%
Since School Began	59,075	3.6%
In the Past Month	124,763	7.6%

Frequency Missing = 27713

RECENT WINE USE		
q14e	Frequency	Percent
Never	1,048,940	65.5%
Heard/Used		
In Your Life-time	286,450	17.9%
Since School Began	105,810	6.6%
In the Past Month	160,714	10.0%

Frequency Missing = 61278

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	1,454,143	89.7%
Heard/Used		
In Your Life-time	66,255	4.1%
Since School Began	30,339	1.9%
In the Past Month	70,253	4.3%

Frequency Missing = 42202

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	981,286	60.3%
Heard/Used		
In Your Life-time	256,897	15.8%
Since School Began	134,363	8.3%
In the Past Month	255,296	15.7%

Frequency Missing = 35351

RECENT BEER USE		
q14c	Frequency	Percent
Never	926,554	57.9%
Heard/Used		
In Your Life-time	298,406	18.6%
Since School Began	127,321	7.9%
In the Past Month	249,271	15.6%

Frequency Missing = 61639

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	1,575,868	95.6%
Heard/Used		
In Your Life-time	44,588	2.7%
Since School Began	10,281	0.6%
In the Past Month	17,793	1.1%

Frequency Missing = 14662

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	1,044,052	64.3%
Heard/Used		
In Your Life-time	237,116	14.6%
Since School Began	118,754	7.3%
In the Past Month	223,330	13.8%

Frequency Missing = 39940

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	1,192,560	73.3%
Heard/Used		
In Your Life-time	188,343	11.6%
Since School Began	77,131	4.7%
In the Past Month	169,767	10.4%

Frequency Missing = 35390

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	1,589,984	97.7%
Heard/Used		
In Your Life- time	21,077	1.3%
Since School Began	4,689	0.3%
In the Past Month	11,264	0.7%
Frequency Missing = 36178		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	1,606,741	98.9%
Heard/Used		
In Your Life- time	9,413	0.6%
Since School Began	1,272	0.1%
In the Past Month	6,600	0.4%
Frequency Missing = 39166		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	1,611,960	99.5%
Heard/Used		
In Your Life- time	5,039	0.3%
Since School Began	971	0.1%
In the Past Month	2,744	0.2%
Frequency Missing = 42478		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	1,567,558	96.8%
Heard/Used		
In Your Life- time	28,635	1.8%
Since School Began	8,140	0.5%
In the Past Month	14,547	0.9%
Frequency Missing = 44312		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	1,574,537	97.0%
Heard/Used		
In Your Life- time	24,794	1.5%
Since School Began	9,128	0.6%
In the Past Month	15,023	0.9%
Frequency Missing = 39710		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	1,618,787	99.7%
Heard/Used		
In Your Life- time	3,029	0.2%
Since School Began	758	0.0%
In the Past Month	1,813	0.1%
Frequency Missing = 38806		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	1,608,621	99.0%
Heard/Used		
In Your Life- time	7,640	0.5%
Since School Began	1,963	0.1%
In the Past Month	6,013	0.4%
Frequency Missing = 38956		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	1,613,374	99.3%
Heard/Used		
In Your Life- time	6,194	0.4%
Since School Began	2,000	0.1%
In the Past Month	3,535	0.2%
Frequency Missing = 38089		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	1,503,055	92.6%
Heard/Used		
In Your Life- time	70,895	4.4%
Since School Began	17,711	1.1%
In the Past Month	31,693	2.0%

Frequency Missing = 39837

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	1,611,224	98.7%
Heard/Used		
In Your Life- time	6,545	0.4%
Since School Began	2,731	0.2%
In the Past Month	11,421	0.7%

Frequency Missing = 31271

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	1,441,819	88.1%
Heard/Used		
In Your Life- time	66,051	4.0%
Since School Began	36,377	2.2%
In the Past Month	92,044	5.6%

Frequency Missing = 26901

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	1,572,570	96.2%
Heard/Used		
In Your Life- time	18,038	1.1%
Since School Began	12,386	0.8%
In the Past Month	31,065	1.9%

Frequency Missing = 29134

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	1,586,421	97.1%
Heard/Used		
In Your Life- time	14,864	0.9%
Since School Began	7,749	0.5%
In the Past Month	25,198	1.5%

Frequency Missing = 28959

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	1,532,062	96.4%
Heard/Used		
In Your Life- time	20,785	1.3%
Since School Began	9,819	0.6%
In the Past Month	26,656	1.7%

Frequency Missing = 73869

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	1,533,883	93.9%
Heard/Used		
In Your Life- time	29,537	1.8%
Since School Began	22,235	1.4%
In the Past Month	47,887	2.9%

Frequency Missing = 29649

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	1,437,326	88.5%
Heard/Used		
1-2 times	92,486	5.7%
3-10 times	40,141	2.5%
11+ times	53,482	3.3%

Frequency Missing = 39756

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	1,143,526	70.7%
Heard/Used		
1-2 times	286,893	17.7%
3-10 times	131,411	8.1%
11+ times	54,660	3.4%
Frequency Missing = 46701		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	954,273	59.4%
heard/None		
A few	372,843	23.2%
Some	173,760	10.8%
Most	87,962	5.5%
All	18,234	1.1%
Frequency Missing = 56120		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	1,593,235	98.2%
Heard/Used		
1-2 times	21,665	1.3%
3-10 times	5,575	0.3%
11+ times	1,867	0.1%
Frequency Missing = 40849		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	620,063	38.6%
heard/None		
A few	401,790	25.0%
Some	278,597	17.3%
Most	239,146	14.9%
All	66,724	4.2%
Frequency Missing = 56872		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	1,371,523	84.5%
Heard/Used		
1-2 times	115,335	7.1%
3-10 times	63,554	3.9%
11+ times	72,117	4.4%
Frequency Missing = 40662		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	1,457,597	91.0%
heard/None		
A few	100,893	6.3%
Some	31,026	1.9%
Most	9,007	0.6%
All	2,987	0.2%
Frequency Missing = 61683		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	1,608,437	98.9%
Heard/Used		
1-2 times	12,652	0.8%
3-10 times	2,293	0.1%
11+ times	2,309	0.1%
Frequency Missing = 37502		

CLOSE FRIENDS USE MARIJUANA		
q19d	Frequency	Percent
Never	758,413	47.2%
heard/None		
A few	339,092	21.1%
Some	235,551	14.7%
Most	201,721	12.6%
All	71,045	4.4%
Frequency Missing = 57371		

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	1,619,481	99.7%
Heard/Used		
1-2 times	2,718	0.2%
3-10 times	649	0.0%
11+ times	955	0.1%
Frequency Missing = 39388		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET TOBACCO		
q20a	Frequency	Percent
Never heard of	355,792	22.5%
Impossible	279,937	17.7%
Very difficult	117,519	7.4%
Somewhat diff	167,416	10.6%
Somewhat easy	252,356	16.0%
Very easy	408,961	25.9%
Frequency Missing = 81211		

DIFFICULT TO GET COCAINE		
q20e	Frequency	Percent
Never heard of	477,673	30.4%
Impossible	499,373	31.7%
Very difficult	231,088	14.7%
Somewhat diff	175,896	11.2%
Somewhat easy	89,907	5.7%
Very easy	99,930	6.3%
Frequency Missing = 89325		

DIFFICULT TO GET COMBINED ALCOHOL		
q20b	Frequency	Percent
Never heard of	277,570	17.6%
Impossible	175,816	11.1%
Very difficult	85,963	5.4%
Somewhat diff	177,151	11.2%
Somewhat easy	331,137	21.0%
Very easy	531,395	33.7%
Frequency Missing = 84160		

DIFFICULT TO GET CRACK		
q20f	Frequency	Percent
Never heard of	507,470	32.2%
Impossible	517,911	32.9%
Very difficult	241,928	15.4%
Somewhat diff	151,955	9.7%
Somewhat easy	73,407	4.7%
Very easy	81,490	5.2%
Frequency Missing = 89031		

DIFFICULT TO GET INHALANTS		
q20c	Frequency	Percent
Never heard of	534,002	34.0%
Impossible	232,519	14.8%
Very difficult	78,554	5.0%
Somewhat diff	106,441	6.8%
Somewhat easy	174,983	11.1%
Very easy	446,271	28.4%
Frequency Missing = 90423		

DIFFICULT TO GET STEROIDS		
q20h	Frequency	Percent
Never heard of	527,001	33.4%
Impossible	511,812	32.5%
Very difficult	229,070	14.5%
Somewhat diff	152,322	9.7%
Somewhat easy	77,819	4.9%
Very easy	77,710	4.9%
Frequency Missing = 87458		

DIFFICULT TO GET MARIJUANA		
q20d	Frequency	Percent
Never heard of	326,942	20.7%
Impossible	298,223	18.9%
Very difficult	121,979	7.7%
Somewhat diff	160,744	10.2%
Somewhat easy	242,888	15.4%
Very easy	425,841	27.0%
Frequency Missing = 86576		

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	598,441	38.0%
Impossible	426,862	27.1%
Very difficult	196,110	12.5%
Somewhat diff	147,518	9.4%
Somewhat easy	100,309	6.4%
Very easy	104,027	6.6%
Frequency Missing = 89925		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	598,476	37.9%
Impossible	549,885	34.8%
Very difficult	221,065	14.0%
Somewhat diff	101,240	6.4%
Somewhat easy	48,277	3.1%
Very easy	60,123	3.8%
Frequency Missing = 84127		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	81,034	9.8%
9 years old	27,136	3.3%
10 years old	40,712	4.9%
11 years old	42,876	5.2%
12 years old	85,909	10.4%
13 years old	127,693	15.4%
14 years old	136,070	16.5%
15 years old	134,704	16.3%
16 years old	93,580	11.3%
17 years old	42,595	5.1%
18 or older	14,851	1.8%
Frequency Missing = 836032		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	631,146	40.0%
Impossible	520,923	33.0%
Very difficult	208,626	13.2%
Somewhat diff	101,791	6.4%
Somewhat easy	48,698	3.1%
Very easy	67,918	4.3%
Frequency Missing = 84090		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	10,283	14.1%
9 years old	4,221	5.8%
10 years old	8,325	11.4%
11 years old	8,405	11.5%
12 years old	8,394	11.5%
13 years old	12,799	17.6%
14 years old	10,029	13.8%
15 years old	5,854	8.0%
16 years old	3,336	4.6%
17 years old	953	1.3%
18 or older	288	0.4%
Frequency Missing = 1590307		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	604,039	38.3%
Impossible	375,896	23.8%
Very difficult	147,489	9.3%
Somewhat diff	127,166	8.1%
Somewhat easy	137,777	8.7%
Very easy	186,186	11.8%
Frequency Missing = 84638		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	22,274	6.5%
9 years old	10,328	3.0%
10 years old	19,738	5.7%
11 years old	18,668	5.4%
12 years old	35,131	10.2%
13 years old	50,597	14.7%
14 years old	50,484	14.6%
15 years old	58,340	16.9%
16 years old	46,292	13.4%
17 years old	23,518	6.8%
18 or older	9,624	2.8%
Frequency Missing = 1318199		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	7,881	1.8%
9 years old	6,524	1.5%
10 years old	11,622	2.7%
11 years old	18,638	4.3%
12 years old	43,343	10.0%
13 years old	75,704	17.5%
14 years old	88,101	20.4%
15 years old	84,029	19.4%
16 years old	60,966	14.1%
17 years old	28,747	6.6%
18 or older	6,866	1.6%
Frequency Missing = 1230771		

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
8 or younger	436	1.4%
9 years old	136	0.4%
10 years old	463	1.5%
11 years old	672	2.2%
12 years old	2,087	6.8%
13 years old	3,807	12.3%
14 years old	4,484	14.5%
15 years old	6,482	21.0%
16 years old	5,448	17.7%
17 years old	4,341	14.1%
18 or older	2,490	8.1%

Frequency Missing = 1632346

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	419	0.9%
9 years old	151	0.3%
10 years old	613	1.3%
11 years old	1,097	2.4%
12 years old	2,509	5.5%
13 years old	4,793	10.6%
14 years old	8,904	19.6%
15 years old	10,648	23.5%
16 years old	9,252	20.4%
17 years old	5,799	12.8%
18 or older	1,202	2.6%

Frequency Missing = 1617805

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	396	7.2%
9 years old	33	0.6%
10 years old	116	2.1%
11 years old	439	8.0%
12 years old	1,014	18.5%
13 years old	1,501	27.4%
14 years old	983	18.0%
15 years old	459	8.4%
16 years old	281	5.1%
17 years old	250	4.6%
18 or older	0	0.0%

Frequency Missing = 1657719

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	331	12.2%
9 years old	71	2.6%
10 years old	137	5.0%
11 years old	51	1.9%
12 years old	73	2.7%
13 years old	455	16.7%
14 years old	226	8.3%
15 years old	627	23.1%
16 years old	292	10.7%
17 years old	449	16.5%
18 or older	8	0.3%

Frequency Missing = 1660474

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	2,057	15.1%
9 years old	557	4.1%
10 years old	866	6.4%
11 years old	775	5.7%
12 years old	903	6.6%
13 years old	1,646	12.1%
14 years old	1,984	14.6%
15 years old	1,697	12.5%
16 years old	1,437	10.6%
17 years old	1,174	8.6%
18 or older	512	3.8%

Frequency Missing = 1649584

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	629	7.7%
9 years old	141	1.7%
10 years old	368	4.5%
11 years old	113	1.4%
12 years old	740	9.1%
13 years old	1,171	14.4%
14 years old	1,127	13.8%
15 years old	1,681	20.6%
16 years old	647	7.9%
17 years old	1,503	18.4%
18 or older	26	0.3%

Frequency Missing = 1655046

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
q21l	Frequency	Percent
8 or younger	978	0.8%
9 years old	547	0.5%
10 years old	1,657	1.4%
11 years old	3,021	2.6%
12 years old	8,055	6.8%
13 years old	20,363	17.3%
14 years old	23,774	20.2%
15 years old	25,676	21.8%
16 years old	21,936	18.6%
17 years old	9,451	8.0%
18 or older	2,214	1.9%

Frequency Missing = 1545518

	HOW OFTEN NORMALLY USE INHALANTS	
q22c	Frequency	Percent
Every day	635	0.0%
Several times/wk	1,865	0.1%
Several times/mo	4,589	0.3%
About once/- month	7,487	0.5%
About on- ce/year	9,653	0.6%
< once/year	27,307	1.7%
Never used	1,547,163	96.8%

Frequency Missing = 64493

	HOW OFTEN NORMALLY USE TOBACCO	
q22a	Frequency	Percent
Every day	34,093	2.1%
Several times/wk	28,832	1.8%
Several times/mo	38,781	2.4%
About once/- month	56,894	3.6%
About on- ce/year	50,653	3.2%
< once/year	91,130	5.7%
Never used	1,299,848	81.2%

Frequency Missing = 62962

	HOW OFTEN NORMALLY USE MARIJUANA	
q22d	Frequency	Percent
Every day	35,909	2.2%
Several times/wk	40,755	2.5%
Several times/mo	63,086	3.9%
About once/- month	71,221	4.4%
About on- ce/year	74,965	4.7%
< once/year	89,395	5.6%
Never used	1,225,431	76.6%

Frequency Missing = 62431

	HOW OFTEN NORMALLY USE ALCOHOL	
q22b	Frequency	Percent
Every day	5,328	0.3%
Several times/wk	38,328	2.4%
Several times/mo	135,977	8.5%
About once/- month	212,116	13.3%
About on- ce/year	195,498	12.3%
< once/year	148,646	9.3%
Never used	855,083	53.7%

Frequency Missing = 72215

	HOW OFTEN NORMALLY USE COCAINE	
q22e	Frequency	Percent
Every day	1,666	0.1%
Several times/wk	937	0.1%
Several times/mo	1,747	0.1%
About once/- month	4,491	0.3%
About on- ce/year	5,710	0.4%
< once/year	7,998	0.5%
Never used	1,578,125	98.6%

Frequency Missing = 62518

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	555	0.0%
Several times/wk	203	0.0%
Several times/mo	22	0.0%
About once/- month	196	0.0%
About on- ce/year	618	0.0%
< once/year	1,491	0.1%
Never used	1,600,279	99.8%

Frequency Missing = 59830

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	320	0.0%
Several times/wk	57	0.0%
Several times/mo	232	0.0%
About once/- month	0	0.0%
About on- ce/year	79	0.0%
< once/year	324	0.0%
Never used	1,602,782	99.9%

Frequency Missing = 59398

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	1,328	0.1%
Several times/wk	939	0.1%
Several times/mo	1,042	0.1%
About once/- month	1,240	0.1%
About on- ce/year	1,817	0.1%
< once/year	4,677	0.3%
Never used	1,592,949	99.3%

Frequency Missing = 59199

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	626	0.0%
Several times/wk	149	0.0%
Several times/mo	472	0.0%
About once/- month	816	0.1%
About on- ce/year	615	0.0%
< once/year	2,785	0.2%
Never used	1,596,640	99.7%

Frequency Missing = 61090

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	857	0.1%
Several times/wk	1,117	0.1%
Several times/mo	1,974	0.1%
About once/- month	7,748	0.5%
About on- ce/year	11,410	0.7%
< once/year	15,102	0.9%
Never used	1,561,530	97.6%

Frequency Missing = 63454

q22l	HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA	
	Frequency	Percent
Every day	2,966	0.2%
Several times/wk	5,143	0.3%
Several times/mo	8,599	0.5%
About once/- month	15,592	1.0%
About on- ce/year	20,483	1.3%
< once/year	43,841	2.7%
Never used	1,504,746	94.0%

Frequency Missing = 61823

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	918,681	58.0%
12+ drinks	53,563	3.4%
9-11 drinks	32,628	2.1%
5-8 drinks	72,519	4.6%
3-4 drinks	105,077	6.6%
2 drinks	104,581	6.6%
1 drink	114,669	7.2%
< 1 drink	181,540	11.5%

Frequency Missing = 79934

HOW MANY 5+ DRINKS IN PAST 30 DAYS			
q24		Frequency	Percent
Never	5+ at time	785,035	49.3%
None		556,213	34.9%
1 day		92,256	5.8%
2 days		56,146	3.5%
3 to 5 days		51,600	3.2%
6 to 9 days		19,386	1.2%
10 or more days		31,851	2.0%

Frequency Missing = 70705

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	998,489	63.0%
12+ drinks	32,928	2.1%
9-11 drinks	24,672	1.6%
5-8 drinks	64,271	4.1%
3-4 drinks	112,297	7.1%
2 drinks	111,111	7.0%
1 drink	119,855	7.6%
< 1 drink	120,426	7.6%

Frequency Missing = 79144

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	831,265	52.2%
Never	329,273	20.7%
Seldom	295,700	18.6%
Most of the Time	95,480	6.0%
Always	41,168	2.6%

Frequency Missing = 70305

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	1,034,951	65.6%
12+ drinks	15,343	1.0%
9-11 drinks	9,065	0.6%
5-8 drinks	20,201	1.3%
3-4 drinks	48,224	3.1%
2 drinks	83,158	5.3%
1 drink	156,935	9.9%
< 1 drink	210,332	13.3%

Frequency Missing = 84982

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	796,036	50.1%
Never	277,473	17.5%
Seldom	243,652	15.3%
Most of the Time	203,989	12.8%
Always	68,757	4.3%

Frequency Missing = 73286

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	948,683	59.7%
12+ drinks	48,848	3.1%
9-11 drinks	32,315	2.0%
5-8 drinks	79,136	5.0%
3-4 drinks	122,544	7.7%
2 drinks	101,259	6.4%
1 drink	113,457	7.1%
< 1 drink	143,468	9.0%

Frequency Missing = 73482

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	849,546	53.5%
Never	571,133	36.0%
Seldom	81,642	5.1%
Most of the Time	52,526	3.3%
Always	31,619	2.0%

Frequency Missing = 76726

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	772,830	48.5%
Never	241,925	15.2%
Seldom	181,263	11.4%
Most of the Time	202,174	12.7%
Always	194,159	12.2%

Frequency Missing = 70841

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	848,454	53.9%
Never	398,752	25.3%
Seldom	160,003	10.2%
Most of the Time	87,205	5.5%
Always	80,386	5.1%

Frequency Missing = 88392

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	935,741	58.3%
Somewhat	398,340	24.8%
Not very	147,164	9.2%
Not at all	40,306	2.5%
Don't know	82,560	5.1%

Frequency Missing = 59082

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	786,104	49.2%
Somewhat	496,943	31.1%
Not very	212,112	13.3%
Not at all	41,701	2.6%
Don't know	61,294	3.8%

Frequency Missing = 65038

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	1,200,456	75.1%
Somewhat	209,025	13.1%
Not very	58,439	3.7%
Not at all	17,591	1.1%
Don't know	113,510	7.1%

Frequency Missing = 64171

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	837,754	52.3%
Somewhat	234,973	14.7%
Not very	203,217	12.7%
Not at all	257,876	16.1%
Don't know	67,083	4.2%

Frequency Missing = 62288

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	1,386,515	86.7%
Somewhat	107,791	6.7%
Not very	17,038	1.1%
Not at all	9,226	0.6%
Don't know	78,768	4.9%

Frequency Missing = 63855

DANGEROUS FOR KIDS TO USE CRACK		
q26f	Frequency	Percent
Very	1,405,030	87.8%
Somewhat	90,952	5.7%
Not very	12,160	0.8%
Not at all	9,668	0.6%
Don't know	81,893	5.1%

Frequency Missing = 63489

DANGEROUS FOR KIDS TO USE ECSTASY		
q26g	Frequency	Percent
Very	1,285,368	80.3%
Somewhat	140,531	8.8%
Not very	41,434	2.6%
Not at all	15,778	1.0%
Don't know	116,789	7.3%

Frequency Missing = 63293

	DANGEROUS FOR KIDS TO USE STEROIDS	
q26h	Frequency	Percent
Very	1,203,275	75.4%
Somewhat	212,713	13.3%
Not very	61,111	3.8%
Not at all	20,521	1.3%
Don't know	98,687	6.2%

Frequency Missing = 66884

	DANGEROUS FOR KIDS TO USE HYDROCODONE	
q26l	Frequency	Percent
Very	1,266,010	79.0%
Somewhat	120,151	7.5%
Not very	44,959	2.8%
Not at all	21,696	1.4%
Don't know	149,310	9.3%

Frequency Missing = 61066

	DANGEROUS FOR KIDS TO USE HEROIN	
q26i	Frequency	Percent
Very	1,414,853	88.4%
Somewhat	68,550	4.3%
Not very	11,688	0.7%
Not at all	9,167	0.6%
Don't know	96,462	6.0%

Frequency Missing = 62472

	DAYS SKIPPED SINCE SEPTEMBER	
q27a	Frequency	Percent
None	1,225,010	77.2%
1-3 days	260,715	16.4%
4-9 days	60,001	3.8%
10+ days	41,988	2.6%

Frequency Missing = 75478

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	
q26j	Frequency	Percent
Very	1,414,126	88.2%
Somewhat	66,050	4.1%
Not very	12,019	0.7%
Not at all	9,168	0.6%
Don't know	101,434	6.3%

Frequency Missing = 60395

	DAYS ILL SINCE SEPTEMBER	
q27b	Frequency	Percent
None	533,682	33.7%
1-3 days	803,857	50.7%
4-9 days	196,229	12.4%
10+ days	51,574	3.3%

Frequency Missing = 77849

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	
q26k	Frequency	Percent
Very	1,232,656	76.9%
Somewhat	144,520	9.0%
Not very	64,730	4.0%
Not at all	29,560	1.8%
Don't know	130,680	8.2%

Frequency Missing = 61044

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	
q27c	Frequency	Percent
None	625,202	39.9%
1-3 days	768,751	49.0%
4-9 days	126,587	8.1%
10+ days	46,993	3.0%

Frequency Missing = 95659

	SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER	
q27d	Frequency	Percent
None	1,398,272	88.2%
1-3 days	145,288	9.2%
4-9 days	25,770	1.6%
10+ days	16,436	1.0%

Frequency Missing = 77426

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	1,437,992	90.7%
1-3 days	117,870	7.4%
4-9 days	16,939	1.1%
10+ days	12,479	0.8%
Frequency Missing = 77912		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	1,499,619	94.8%
1-3 times	52,157	3.3%
4-9 times	12,034	0.8%
10+ times	17,383	1.1%
Frequency Missing = 81999		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	1,514,182	95.5%
1-3 times	62,651	4.0%
4-9 times	6,771	0.4%
10+ times	2,437	0.2%
Frequency Missing = 77151		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	1,499,541	94.8%
1-3 times	64,224	4.1%
4-9 times	10,283	0.7%
10+ times	7,439	0.5%
Frequency Missing = 81704		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	1,515,717	95.7%
1-3 times	52,820	3.3%
4-9 times	9,254	0.6%
10+ times	6,249	0.4%
Frequency Missing = 79151		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	1,508,560	95.5%
1-3 days	54,894	3.5%
4-9 days	9,631	0.6%
10+ days	6,677	0.4%
Frequency Missing = 83430		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	1,487,811	94.4%
1-3 times	76,855	4.9%
4-9 times	6,924	0.4%
10+ times	4,231	0.3%
Frequency Missing = 87371		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	1,435,388	91.0%
1-3 days	81,808	5.2%
4-9 days	22,314	1.4%
10+ days	38,327	2.4%
Frequency Missing = 85355		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	1,511,028	95.5%
1-3 times	59,746	3.8%
4-9 times	6,939	0.4%
10+ times	4,238	0.3%
Frequency Missing = 81242		

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q29c	Frequency	Percent
None	1,560,461	99.0%
1-3 days	10,854	0.7%
4-9 days	2,132	0.1%
10+ days	2,033	0.1%
Frequency Missing = 87712		

CLASS DAYS HIGH ON OTHER DRUG(S)		
q29d	Frequency	Percent
None	1,523,184	96.7%
1-3 days	34,591	2.2%
4-9 days	8,363	0.5%
10+ days	9,626	0.6%
Frequency Missing = 87427		

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q30a	Frequency	Percent
Never	644,603	40.9%
Seldom	112,566	7.1%
Half the time	92,629	5.9%
Most of the time	167,451	10.6%
Always	228,934	14.5%
Don't know	26,688	1.7%
Didn't attend	302,567	19.2%
Frequency Missing = 87754		

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q30b	Frequency	Percent
Never	767,271	48.6%
Seldom	112,033	7.1%
Half the time	92,430	5.9%
Most of the time	120,820	7.7%
Always	144,943	9.2%
Don't know	39,177	2.5%
Didn't attend	301,964	19.1%
Frequency Missing = 84555		

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q31	Frequency	Percent
No	1,352,160	93.2%
Yes	99,092	6.8%
Frequency Missing = 211940		

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q32a	Frequency	Percent
No	1,014,152	65.1%
Yes	542,779	34.9%
Frequency Missing = 106260		

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q32b	Frequency	Percent
No	934,024	60.0%
Yes	622,668	40.0%
Frequency Missing = 106500		

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q32c	Frequency	Percent
No	921,723	59.7%
Yes	622,367	40.3%
Frequency Missing = 119102		

WOULD SEEK HELP FROM PARENTS		
q32d	Frequency	Percent
No	561,363	36.0%
Yes	997,314	64.0%
Frequency Missing = 104515		

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q32e	Frequency	Percent
No	772,763	50.0%
Yes	773,158	50.0%
Frequency Missing = 117271		

WOULD SEEK HELP FROM FRIENDS		
q32f	Frequency	Percent
No	522,977	33.7%
Yes	1,027,139	66.3%
Frequency Missing = 113076		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	608,799	39.1%
Yes	946,392	60.9%
Frequency Missing = 108001		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	1,243,788	81.6%
Yes	280,922	18.4%
Frequency Missing = 138482		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	833,261	55.8%
Yes	661,006	44.2%
Frequency Missing = 168926		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	1,025,760	69.2%
Yes	455,952	30.8%
Frequency Missing = 181480		

DRUG/ALCOHOL INFO-SCHOOL AS- SEMBLY PROGRAM		
q33b	Frequency	Percent
No	855,533	57.5%
Yes	631,623	42.5%
Frequency Missing = 176036		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	1,200,997	76.2%
Mild disapprove	127,531	8.1%
Neither	106,284	6.7%
Mildly approve	19,370	1.2%
Strongly approve	12,998	0.8%
Don't know	108,865	6.9%
Frequency Missing = 87148		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUN- SELOR		
q33c	Frequency	Percent
No	1,113,193	75.0%
Yes	370,655	25.0%
Frequency Missing = 179345		

PARENTS FEEL ABOUT KIDS DRINKING AL- COHOL		
q34b	Frequency	Percent
Strong disapprove	981,349	62.3%
Mild disapprove	227,561	14.4%
Neither	185,635	11.8%
Mildly approve	63,639	4.0%
Strongly approve	17,843	1.1%
Don't know	99,313	6.3%
Frequency Missing = 87853		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	1,055,650	71.1%
Yes	429,790	28.9%
Frequency Missing = 177752		

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q34c	Frequency	Percent
Strong disapprove	1,219,249	77.4%
Mild disapprove	109,369	6.9%
Neither	96,964	6.2%
Mildly approve	26,201	1.7%
Strongly approve	25,892	1.6%
Don't know	97,804	6.2%
Frequency Missing = 87713		

DRUG/ALCOHOL INFO-SCHOOL STU- DENT GROUP OR CLUB		
q33e	Frequency	Percent
No	1,258,491	85.1%
Yes	221,152	14.9%
Frequency Missing = 183549		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	1,054,680	71.0%
Yes	430,429	29.0%
Frequency Missing = 178084		

TESTED FOR DRUG USE AT SCHOOL		
q35	Frequency	Percent
No	1,307,705	82.9%
Yes	269,020	17.1%
Frequency Missing = 86467		

q36	DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	Frequency	Percent
Do not know		341,434	21.6%
No		329,824	20.8%
Yes		912,601	57.6%
Frequency Missing = 79332			